



LITERATURE REVIEWED TO INFORM FIRST DRAFT OF THE FRAMEWORK

1.1 | RAPID AND EASY ACCESS

1. Addington J, Heinssen RK, Robinson DG, et al. Duration of Untreated Psychosis in Community Treatment Settings in the United States. *Psychiatric Services*. 2015;66(7):753-756.
2. Aromaa E, Tolvanen A, Tuulari J, Wahlbeck K. Personal stigma and use of mental health services among people with depression in a general population in Finland. *BMC Psychiatry*. 2011;11:52.
3. Arya A, Agarwal V, Yadav S, Gupta PK, Agarwal M. A study of pathway of care in children and adolescents with attention deficit hyperactivity disorder. *Asian Journal of Psychiatry*. 2015;17:10-15.
4. Birchwood M, Connor C, Lester H, et al. Reducing duration of untreated psychosis: care pathways to early intervention in psychosis services. *British Journal of Psychiatry*. 2013;203(1):58-64.
5. Brenman NF, Luitel NP, Mall S, Jordans MJ. Demand and access to mental health services: a qualitative formative study in Nepal. *BMC International Health & Human Rights*. 2014;14:22.
6. Brindis C, Park MJ, Ozer EM, Irwin CE. Adolescents' access to health services and clinical preventive health care: crossing the great divide. *Pediatric annals*. 2002;31(9):575-581.
7. Broad KL, Sandhu VK, Sunderji N, Charach A. Youth experiences of transition from child mental health services to adult mental health services: a qualitative thematic synthesis. *BMC Psychiatry*. 2017;17(1):380.
8. Choi KRPRN, Easterlin MCMD. *Intervention Models for Increasing Access to Behavioral Health Services Among Youth: A Systematic Review*. [Review]. *Journal of Developmental & Behavioral Pediatrics* December 2018;39(9):754-762; 2012.
9. Ciapponi A, Lewin S, Herrera CA, et al. Delivery arrangements for health systems in low-income countries: an overview of systematic reviews. *Cochrane Database of Systematic Reviews*. 2017;9:CD011083.
10. Clement S, Schauman O, Graham T, et al. What is the impact of mental health-related stigma on help-seeking? A systematic review of quantitative and qualitative studies. *Psychological Medicine*. 2015;45(1):11-27.

11. Connor C, Birchwood M, Freemantle N, et al. Don't turn your back on the symptoms of psychosis: the results of a proof-of-principle, quasi-experimental intervention to reduce duration of untreated psychosis. *BMC Psychiatry*. 2016;16:127.
12. Connor C, Greenfield S, Lester H, et al. Seeking help for first-episode psychosis: a family narrative. *Early intervention in psychiatry*. 2016;10(4):334-345.
13. Cotter J, Zabel E, French P, Yung AR. Prolonged duration of untreated psychosis: a problem that needs addressing. *Early intervention in psychiatry*. 2017;11(3):263-268.
14. Cross SP, Hermens DF, Hickie IB. Treatment patterns and short-term outcomes in an early intervention youth mental health service. *Early intervention in psychiatry*. 2016;10(1):88-97.
15. Day C, Michelson D, Hassan I. Child and adolescent service experience (ChASE): measuring service quality and therapeutic process. *British Journal of Clinical Psychology*. 2011;50(4):452-464.
16. De Rosa CJ, Montgomery SB, Kipke MD, Iverson E, Ma JL, Unger JB. Service utilization among homeless and runaway youth in Los Angeles, California: Rates and reasons. *Journal of Adolescent Health*. 1999;24(3):190-200.
17. Demjaha A, Lappin J, Stahl D, et al. Antipsychotic treatment resistance in first-episode psychosis: prevalence, subtypes and predictors. *Psychological medicine*. 2017;47(11):1981-1989.
18. Dominguez MDG, Fisher HL, Johnson S, Hodes M. Differential pathways to care in first episode psychosis: Adolescents versus adults. *European Child and Adolescent Psychiatry*. 2013;1):S167.
19. Ehmann TS, Tee KA, MacEwan GW, et al. Treatment delay and pathways to care in early psychosis. *Early intervention in psychiatry*. 2014;8(3):240-246.
20. Eisenberg D, Golberstein E, Gollust SE. Help-seeking and access to mental health care in a university student population. *Medical Care*. 2007;45(7):594-601.
21. Flora N, Anderson KK, Ferrari M, et al. Comparative analysis of pathways to early intervention services and duration of untreated psychosis in two Canadian cities. *Early intervention in psychiatry*. 2017;11(6):517-521.
22. Goldston DB, Reboussin BA, Kancler C, et al. Rates and predictors of aftercare services among formerly hospitalized adolescents: a prospective naturalistic study. *Journal of the American Academy of Child & Adolescent Psychiatry*. 2003;42(1):49-56.
23. Grayson HC. Caregiver impact on the relationship between need and utilization for child and adolescent mental health: An examination of factors influencing utilization of mental health services. *Dissertation Abstracts International: Section B: The Sciences and Engineering*. 2017;78(3-B(E)):No Pagination Specified.
24. Gronholm PC, Nye E, Michelson D. Stigma related to targeted school-based mental health interventions: A systematic review of qualitative evidence. *Journal of Affective Disorders*. 2018;240:17-26.
25. Harris MG, Burgess PM, Chant DC, Pirkis JE, McGorry PD. Impact of a specialized early psychosis treatment programme on suicide. Retrospective cohort study. *Early intervention in psychiatry*. 2008;2(1):11-21.
26. Hight NJ, McNair BG, Thompson M, Davenport TA, Hickie IB. Experience with treatment services for people with bipolar disorder. *Medical Journal of Australia*. 2004;181(7 Suppl):S47-51.

27. Hoffman KA, Ford JH, Tillotson CJ, Choi D, McCarty D. Days to treatment and early retention among patients in treatment for alcohol and drug disorders. *Addictive Behaviors*. 2011;36(6):643-647.
28. Ijadi-Maghsoodi R, Bonnet K, Feller S, Nagaran K, Puffer M, Kataoka S. Voices from Minority Youth on Help-Seeking and Barriers to Mental Health Services: Partnering with School-Based Health Centers. *Ethnicity & Disease*. 2018;28(Suppl 2):437-444.
29. James S, Chisholm D, Murthy RS, et al. Demand for, access to and use of community mental health care: lessons from a demonstration project in India and Pakistan. *International Journal of Social Psychiatry*. 2002;48(3):163-176.
30. Janssen M, Wensing M, van der Gaag RJ, Cornelissen I, van Deurzen P, Buitelaar J. Improving patient care for attention deficit hyperactivity disorder in children by organizational redesign (Tornado program) and enhanced collaboration between psychiatry and general practice: a controlled before and after study. *Implementation Science*. 2014;9:155.
31. Jones D, Godwin J, Dodge KA, et al. Impact of the fast track prevention program on health services use by conduct-problem youth. *Pediatrics*. 2010;125(1):e130-136.
32. Kaminga AC, Dai W, Liu A, et al. Rate of and time to symptomatic remission in first-episode psychosis in Northern Malawi: A STROBE-compliant article. *Medicine*. 2018;97(45):e13078.
33. Kowalewski K, McLennan JD, McGrath PJ. A preliminary investigation of wait times for child and adolescent mental health services in Canada. *Journal of the Canadian Academy of Child and Adolescent Psychiatry*. 2011;20(2):112.
34. Langford R, Bonell C, Jones H, et al. The World Health Organization's Health Promoting Schools framework: a Cochrane systematic review and meta-analysis. *BMC Public Health*. 2015;15:130.
35. Leahy D, Schaffalitzky E, Saunders J, et al. Role of the general practitioner in providing early intervention for youth mental health: a mixed methods investigation. *Early intervention in psychiatry*. 2018;12(2):202-216.
36. Li W, Dorstyn DS, Denson LA. Predictors of Mental Health Service Use by Young Adults: A Systematic Review. *Psychiatric Services*. 2016;67(9):946-956.
37. Lloyd-Evans B, Sweeney A, Hinton M, et al. Evaluation of a community awareness programme to reduce delays in referrals to early intervention services and enhance early detection of psychosis. *BMC Psychiatry*. 2015;15:98.
38. MacDonald K, Fainman-Adelman N, Anderson KK, Iyer SN. Pathways to mental health services for young people: a systematic review. *Social Psychiatry & Psychiatric Epidemiology*. 2018;53(10):1005-1038.
39. Madianos MG, Zartaloudi A, Alevizopoulos G, Katostaras T. Attitudes toward help-seeking and duration of untreated mental disorders in a sectorized Athens area of Greece. *Community Mental Health Journal*. 2011;47(5):583-593.
40. McLennan JD. Wait time to what? Could reducing wait times for child mental health services worsen outcomes? *Journal of the Canadian Academy of Child and Adolescent Psychiatry*. 2015;24(1):55.
41. Memon A, Taylor K, Mohebati LM, et al. Perceived barriers to accessing mental health services among black and minority ethnic (BME) communities: a qualitative study in Southeast England. *BMJ Open*. 2016;6(11):e012337.

42. Newton AS, Rathee S, Grewal S, Dow N, Rosychuk RJ. Children's mental health visits to the emergency department: factors affecting wait times and length of stay. *Emergency medicine international*. 2014;2014.
43. Newton AS, Wozney L, Bagnell A, et al. Increasing Access to Mental Health Care With Breathe, an Internet-Based Program for Anxious Adolescents: Study Protocol for a Pilot Randomized Controlled Trial. *JMIR Research Protocols*. 2016;5(1):e18.
44. Park SY, Cho S, Park Y, Bernstein KS, Shin JK. Factors associated with mental health service utilization among Korean American immigrants. *Community Mental Health Journal*. 2013;49(6):765-773.
45. Perron BE, Alexander-Eitzman B, Watkins D, et al. Ethnic differences in delays to treatment for substance use disorders: African Americans, Black Caribbeans and non-Hispanic whites. *Journal of Psychoactive Drugs*. 2009;41(4):369-377.
46. Petersen L, Thorup A, Oqhlenschlaeger J, et al. Predictors of remission and recovery in a first-episode schizophrenia spectrum disorder sample: 2-year follow-up of the OPUS trial. *Canadian Journal of Psychiatry - Revue Canadienne de Psychiatrie*. 2008;53(10):660-670.
47. Piccininni C, Bisnaire L, Penner M. Cost-effectiveness of wait time reduction for intensive behavioral intervention services in Ontario, Canada. *JAMA pediatrics*. 2017;171(1):23-30.
48. Raven D, Jorg F, Visser E, Oldehinkel AJ, Schoevers RA. Time-to-treatment of mental disorders in a community sample of Dutch adolescents. A TRAILS study. *Epidemiology & Psychiatric Science*. 2017;26(2):177-188.
49. Reardon T, Harvey K, Baranowska M, O'Brien D, Smith L, Creswell C. What do parents perceive are the barriers and facilitators to accessing psychological treatment for mental health problems in children and adolescents? A systematic review of qualitative and quantitative studies. *European Child & Adolescent Psychiatry*. 2017;26(6):623-647.
50. Roberts T, Miguel Esponda G, Krupchanka D, Shidhaye R, Patel V, Rathod S. Factors associated with health service utilisation for common mental disorders: a systematic review. *BMC Psychiatry*. 2018;18(1):262.
51. Roeder R, Roeder K, Asano E, Chugani HT. Depression and mental health help-seeking behaviors in a predominantly African American population of children and adolescents with epilepsy. *Epilepsia*. 2009;50(8):1943-1952.
52. Ryan SM, Jorm AF, Toumbourou JW, Lubman DI. Parent and family factors associated with service use by young people with mental health problems: a systematic review. *Early intervention in psychiatry*. 2015;9(6):433-446.
53. Schley C, Pace N, Mann R, McKenzie C, McRoberts A, Parker A. The headspace Brief Interventions Clinic: Increasing timely access to effective treatments for young people with early signs of mental health problems. *Early intervention in psychiatry*. 2018;30:30.
54. Schraeder KE, Reid GJ. Why wait? The effect of wait-times on subsequent help-seeking among families looking for children's mental health services. *Journal of Abnormal Child Psychology*. 2015;43(3):553-565.
55. Seedat S, Stein DJ, Herman A, et al. Twelve-month treatment of psychiatric disorders in the South African Stress and Health Study (World Mental Health Survey Initiative). *Social Psychiatry & Psychiatric Epidemiology*. 2008;43(11):889-897.

56. Sorensen LC, Dodge KA, Conduct Problems Prevention Research G. How Does the Fast Track Intervention Prevent Adverse Outcomes in Young Adulthood? *Child Development*. 2016;87(2):429-445.
57. Southard EP, Neufeld JD, Laws S. Telemental health evaluations enhance access and efficiency in a critical access hospital emergency department. *Telemedicine Journal & E-Health*. 2014;20(7):664-668.
58. Tarren-Sweeney M. Rates of meaningful change in the mental health of children in long-term out-of-home care: A seven- to nine-year prospective study. *Child Abuse & Neglect*. 2017;72:1-9.
59. Vallerand IA, McLennan JD. Child and adolescent mental health service management strategies that may influence wait times. *Journal of the Canadian Academy of Child and Adolescent Psychiatry*. 2013;22(2):159.
60. van Orden M, Hoffman T, Haffmans J, Spinhoven P, Hoencamp E. Collaborative mental health care versus care as usual in a primary care setting: a randomized controlled trial. *Psychiatric Services*. 2009;60(1):74-79.
61. Walker S. Mental health. Wait not, want not? *Health Service Journal*. 1998;108(5607):32-33.
62. Wei Y, Hayden JA, Kutcher S, Zygmunt A, McGrath P. The effectiveness of school mental health literacy programs to address knowledge, attitudes and help seeking among youth. *Early intervention in psychiatry*. 2013;7(2):109-121.
63. Westin AM, Barksdale CL, Stephan SH. The effect of waiting time on youth engagement to evidence based treatments. *Community mental health journal*. 2014;50(2):221-228.
64. Xu Z, Huang F, Kosters M, et al. Effectiveness of interventions to promote help-seeking for mental health problems: systematic review and meta-analysis. *Psychological Medicine*. 2018;48(16):2658-2667.
65. Yang E, Mphole S, Moshashane N, et al. Distinctive barriers to antiretroviral therapy adherence among non-adherent adolescents living with HIV in Botswana. *AIDS Care*. 2018;30(2):224-231.

1.2 | YOUTH-SPECIFIC CARE

1. Ambresin AE, Otjes CP, Patton GC, et al. Training General Practitioners to Detect Probable Mental Disorders in Young People During Health Risk Screening. *Journal of Adolescent Health*. 2017;61(3):302-309.
2. Anderson JE, Lowen CA. Developing youth-friendly family practice. *Canadian Family Physician*. 2010;56(8):737-738, e283-735.
3. Anderson JE, Lowen CA. Connecting youth with health services: Systematic review. *Canadian Family Physician*. 2010;56(8):778-784.
4. Andriessen K, Hadzi-Pavlovic D, Draper B, Dudley M, Mitchell PB. The adolescent grief inventory: Development of a novel grief measurement. *Journal of Affective Disorders*. 2018;240:203-211.
5. Barraza R, Bartgis J, Fresno Youth C. Indigenous youth-developed self-assessment: The Personal Balance Tool. *American Indian & Alaska Native Mental Health Research (Online)*. 2016;23(3):1-23.

6. Benoit L, Cottin P, Moro MR. What is a "Maison des Adolescents"? A history of integrated youth health care services in France. *Early intervention in psychiatry*. 2018;12(5):1000-1005.
7. Black K, Thomson C, Chryssidis T, et al. Pilot Testing of an Intensive Cooking Course for New Zealand Adolescents: The Create-Our-Own Kai Study. *Nutrients*. 2018;10(5):30.
8. Breitborde NJK, Labrecque L, Moe A, Gary T, Meyer M. Community-Academic Partnership: Establishing the Institute for Mental Health Research Early Psychosis Intervention Center. *Psychiatric Services*. 2018;69(5):505-507.
9. Brimblecombe N, Knapp M, Murguia S, et al. The role of youth mental health services in the treatment of young people with serious mental illness: 2-year outcomes and economic implications. *Early intervention in psychiatry*. 2017;11(5):393-400.
10. Browning CR, Soller B. Moving Beyond Neighborhood: Activity Spaces and Ecological Networks As Contexts for Youth Development. *Cityscape: a Journal of Policy Development & Research*. 2014;16(1):165-196.
11. Cairns A, Dark F, Kavanagh D, McPhail S. Exploring functional concerns in help-seeking youth: a qualitative study. *Early intervention in psychiatry*. 2015;9(3):228-233.
12. Callaly T, Dodd S, Ackerly C, Hantz P, O'Shea M, Berk M. Description and qualitative evaluation of Jigsaw, an integrated young persons' mental health program. *Australasian Psychiatry*. 2009;17(6):480-483.
13. Carai S, Bivol S, Chandra-Mouli V. Assessing youth-friendly-health-services and supporting planning in the Republic of Moldova. *Reproductive Health*. 2015;12:98.
14. Cheung AH, Zuckerbrot RA, Jensen PS, Laraque D, Stein REK, Glad-Pc Steering G. Guidelines for Adolescent Depression in Primary Care (GLAD-PC): Part II. Treatment and Ongoing Management. *Pediatrics*. 2018;141(3):03.
15. Connolly MD, Zervos MJ, Barone CJ, Johnson CC, Joseph CLM. The Mental Health of Transgender Youth: Advances in Understanding. *Journal of Adolescent Health*. 2016;59(5):489-495.
16. Daley AM, Polifroni EC, Sadler LS. "Treat Me Like a Normal Person!" A Meta-Ethnography of Adolescents' Expectations of Their Health Care Providers. *Journal of Pediatric Nursing*. 2017;36:70-83.
17. Demazure G, Gaultier S, Pinsault N. Dealing with difference: a scoping review of psychotherapeutic interventions with unaccompanied refugee minors. *European Child & Adolescent Psychiatry*. 2018;27(4):447-466.
18. Ervin K, Phillips J, Tomnay J. Establishing a clinic for young people in a rural setting: a community initiative to meet the needs of rural adolescents. *Australian Journal of Primary Health*. 2014;20(2):128-133.
19. Folayan MO, Adeniyi AA, Oziegbe EO, Fatusi AO, Harrison A. Integrated oral, mental and sexual health management for adolescents: a call for professional collaboration. *International Journal of Adolescent Medicine & Health*. 2016;30(3):09.
20. Ford CA, Cheek C, Culhane J, et al. Parent and Adolescent Interest in Receiving Adolescent Health Communication Information From Primary Care Clinicians. *Journal of Adolescent Health*. 2016;59(2):154-161.
21. Garcia CM, Saewyc EM. Perceptions of mental health among recently immigrated Mexican adolescents. *Issues in Mental Health Nursing*. 2007;28(1):37-54.

22. Garland AF, Aarons GA, Saltzman MD, Kruse MI. Correlates of adolescents' satisfaction with mental health services. *Mental Health Services Research*. 2000;2(3):127-139.
23. Gilmer TP, Ojeda VD, Fawley-King K, Larson B, Garcia P. Change in mental health service use after offering youth-specific versus adult programs to transition-age youths. *Psychiatric Services*. 2012;63(6):592-596.
24. Goicolea I, Hultstrand Ahlin C, Waenerlund AK, et al. Accessibility and factors associated with utilization of mental health services in youth health centers. A qualitative comparative analysis in northern Sweden. *International Journal of Mental Health Systems*. 2018;12:69.
25. Goodyear-Smith F, Corter A, Suh H. Electronic screening for lifestyle issues and mental health in youth: a community-based participatory research approach. *BMC Medical Informatics & Decision Making*. 2016;16(1):140.
26. Goz K, Rudhran V, Blackburn J, Schafer MR, O'Donoghue B. Prevalence and predictors of restrictive interventions in a youth-specific mental health inpatient unit. *Early intervention in psychiatry*. 2018;16:16.
27. Haller DM, Sanci LA, Patton GC, Sawyer SM. Toward youth friendly services: a survey of young people in primary care. *Journal of General Internal Medicine*. 2007;22(6):775-781.
28. Hawke LD, Cleverley K, Settipani C, Rice M, Henderson J. Youth friendliness in mental health and addiction services: protocol for a scoping review. *BMJ Open*. 2017;7(9):e017555.
29. Henderson JL, Cheung A, Cleverley K, et al. Integrated collaborative care teams to enhance service delivery to youth with mental health and substance use challenges: protocol for a pragmatic randomised controlled trial. *BMJ Open*. 2017;7(2):e014080.
30. Hetrick SE, Thompson A, Yuen K, Finch S, Parker AG. Is there a gap between recommended and 'real world' practice in the management of depression in young people? A medical file audit of practice. *BMC Health Services Research*. 2012;12:178.
31. Hickie IB. Youth mental health: we know where we are and we can now say where we need to go next. *Early intervention in psychiatry*. 2011;5 Suppl 1:63-69.
32. Hoare E, Fuller-Tyszkiewicz M, Skouteris H, Millar L, Nichols M, Allender S. Systematic review of mental health and well-being outcomes following community-based obesity prevention interventions among adolescents. *BMJ Open*. 2015;5(1):e006586.
33. Hobbs Knutson K, Meyer MJ, Thakrar N, Stein BD. Care Coordination for Youth With Mental Health Disorders in Primary Care. *Clinical Pediatrics*. 2018;57(1):5-10.
34. James S, Pisa PT, Imrie J, et al. Assessment of adolescent and youth friendly services in primary healthcare facilities in two provinces in South Africa. *BMC Health Services Research*. 2018;18(1):809.
35. Jorm AF. Australian young people's awareness of headspace, beyondblue and other mental health organizations. *Australasian Psychiatry*. 2009;17(6):472-474.
36. Kalish RE, Voigt B, Rahimian A, Dicara J, Sheehan K. Listening to youth: reflections on the effect of a youth development program. *Health Promotion Practice*. 2010;11(3):387-393.
37. Kauer SD, Buhagiar K, Blake V, Cotton S, Sanci L. Facilitating mental health help-seeking by young adults with a dedicated online program: a feasibility study of Link. *BMJ Open*. 2017;7(7):e015303.

38. Kelleher E, Moreno M, Wilt MP. Recruitment of Participants and Delivery of Online Mental Health Resources for Depressed Individuals Using Tumblr: Pilot Randomized Control Trial. *JMIR Research Protocols*. 2018;7(4):e95.
39. Kenny R, Dooley B, Fitzgerald A. Developing mental health mobile apps: Exploring adolescents' perspectives. *Health Informatics Journal*. 2016;22(2):265-275.
40. Kwan B, Rickwood DJ. A systematic review of mental health outcome measures for young people aged 12 to 25 years. *BMC psychiatry*. 2015;15(1):279.
41. Lal S, Dell'Elce J, Tucci N, Fuhrer R, Tamblyn R, Malla A. Preferences of young adults with first-episode psychosis for receiving specialized mental health services using technology: a survey study. *JMIR mental health*. 2015;2(2).
42. Li W, Dorstyn DS, Denson LA. Predictors of Mental Health Service Use by Young Adults: A Systematic Review. *Psychiatric Services*. 2016;67(9):946-956.
43. Lim SW, Chhabra R, Rosen A, Racine AD, Alderman EM. Adolescents' views on barriers to health care: a pilot study. *Journal of Primary Care & Community Health*. 2012;3(2):99-103.
44. Lipari RN, Williams MR, Copello EAP, Pemberton MR. Risk and Protective Factors and Estimates of Substance Use Initiation: Results from the 2015 National Survey on Drug Use and Health. *Substance Abuse and Mental Health Services Administration*. 2012.
45. Lopes F, Cordovil R, Neto C. Independent Mobility and Social Affordances of Places for Urban Neighborhoods: A Youth-Friendly Perspective. *Frontiers in Psychology*. 2018;9:2198.
46. Lowenthal ED, Szalda D, Harari N, Finalle R, Mazhani L. Relationship of training to self-reported competency and care of adolescents in an African health care setting. *Journal of Adolescent Health*. 2011;49(4):431-433.
47. Lower R, Wilson J, Medin E, et al. Evaluating an early intervention in psychosis service for 'high-risk' adolescents: symptomatic and social recovery outcomes. *Early intervention in psychiatry*. 2015;9(3):260-267.
48. Madan A, Sharp C, Newlin E, Vanwoerden S, Fowler JC. Adolescents Are Less Satisfied with Inpatient Psychiatric Care than Their Parents: Does It Matter? *Journal for Healthcare Quality*. 2016;38(4):e19-28.
49. Masillo A, Brandizzi M, Nelson B, et al. Youth mental health services in Italy: An achievable dream? *Early intervention in psychiatry*. 2018;12(3):433-443.
50. Mason RJ, Hart LM, Rossetto A, Jorm AF. Quality and predictors of adolescents' first aid intentions and actions towards a peer with a mental health problem. *Psychiatry Research*. 2015;228(1):31-38.
51. Maxwell S, Ugochukwu O, Clarke T, et al. The effect of a youth mental health service model on access to secondary mental healthcare for young people aged 14-25 years. *Bjpsych Bulletin*. 2019;43(1):27-31.
52. Mbutia JW, Kumar M, Falkenstrom F, Kuria MW, Othieno CJ. Attributions and private theories of mental illness among young adults seeking psychiatric treatment in Nairobi: an interpretive phenomenological analysis. *Child & Adolescent Psychiatry & Mental Health [Electronic Resource]*. 2018;12:28.
53. McCann TV, Lubman DI. Young people with depression and their satisfaction with the quality of care they receive from a primary care youth mental health service: a qualitative study. *Journal of Clinical Nursing*. 2012;21(15-16):2179-2187.

54. McGorry P, Bates T, Birchwood M. Designing youth mental health services for the 21st century: examples from Australia, Ireland and the UK. *British Journal of Psychiatry - Supplementum*. 2013;54:s30-35.
55. McGorry PD, Goldstone SD, Parker AG, Rickwood DJ, Hickie IB. Cultures for mental health care of young people: an Australian blueprint for reform. *The Lancet Psychiatry*. 2014;1(7):559-568.
56. Medlow S, Kelk N, Cohen A, Hickie I. Facilitating early intervention: experiences of young people and implications for the shaping of headspace services. *Australasian Psychiatry*. 2010;18(4):335-339.
57. Mewton L, Champion K, Kay-Lambkin F, Sunderland M, Thornton L, Teesson M. Lifestyle risk indices in adolescence and their relationships to adolescent disease burden: findings from an Australian national survey. *BMC Public Health*. 2019;19(1):60.
58. Mmari K, Lantos H, Brahmabhatt H, et al. How adolescents perceive their communities: a qualitative study that explores the relationship between health and the physical environment. *BMC Public Health*. 2014;14:349.
59. Mmari KN, Magnani RJ. Does making clinic-based reproductive health services more youth-friendly increase service use by adolescents? Evidence from Lusaka, Zambia. *Journal of Adolescent Health*. 2003;33(4):259-270.
60. Morrissey JP, Johnsen MC, Calloway MO. Evaluating performance and change in mental health systems serving children and youth: an interorganizational network approach. *Journal of Mental Health Administration*. 1997;24(1):4-22.
61. Muir K, Powell A, McDermott S. 'They don't treat you like a virus': youth-friendly lessons from the Australian National Youth Mental Health Foundation. *Health & Social Care in the Community*. 2012;20(2):181-189.
62. Mullen G, Dowling C, O'Reilly G. Internet use among young people with and without mental health difficulties. *Irish Journal of Psychological Medicine*. 2018;35(1):11-21.
63. Murguia S, Marlowe K. Developing a preventative mental health service for young people in a London Borough: Tower Hamlets Early Detection Service (THEDS) for Schizophrenia. *Early Intervention in Psychiatry*. 2010;1):123.
64. Nagata JM, Ferguson BJ, Ross DA. Research Priorities for Eight Areas of Adolescent Health in Low- and Middle-Income Countries. *Journal of Adolescent Health*. 2016;59(1):50-60.
65. Nair MK, Russell PS, Sadanandan R. ADad 11: Needs and service provisions for Anxiety Disorders among adolescents in a rural community population in India. *Indian Journal of Pediatrics*. 2013;80 Suppl 2:S186-191.
66. Newman L, Birlson P. Mental health planning for children and youth: is it developmentally appropriate? *Australasian Psychiatry*. 2012;20(2):91-97.
67. Ojeda VD, Hiller SP, Hurst S, et al. Implementation of Age-Specific Services for Transition-Age Youths in California. *Psychiatric Services*. 2016;67(9):970-976.
68. Okello ES, Abbo C, Muhwezi WW, Akello G, Ovuga E. Mental health literacy among secondary school students in North and Central Uganda: a qualitative study. *World Cultural Psychiatry Research Review*. 2014;9(3):70-80.
69. Parker A, Hetrick S, Purcell R. Psychosocial assessment of young people - refining and evaluating a youth friendly assessment interview. *Australian Family Physician*. 2010;39(8):585-588.

70. Patton GC, Coffey C, Cappa C, et al. Health of the world's adolescents: a synthesis of internationally comparable data. *Lancet*. 2012;379(9826):1665-1675.
71. Persson S, Hagquist C, Michelson D. Young voices in mental health care: Exploring children's and adolescents' service experiences and preferences. *Clinical Child Psychology & Psychiatry*. 2017;22(1):140-151.
72. Ratcliffe J, Flynn T, Terlich F, Stevens K, Brazier J, Sawyer M. Developing adolescent-specific health state values for economic evaluation: an application of profile case best-worst scaling to the Child Health Utility 9D. *Pharmacoeconomics*. 2012;30(8):713-727.
73. Reaven J. The treatment of anxiety symptoms in youth with high-functioning autism spectrum disorders: developmental considerations for parents. *Brain Research*. 2011;1380:255-263.
74. Rickwood D, Van Dyke N, Telford N. Innovation in youth mental health services in Australia: common characteristics across the first headspace centres. *Early intervention in psychiatry*. 2015;9(1):29-37.
75. Rickwood DJ. Promoting youth mental health through computer-mediated communication. *International Journal of Mental Health Promotion*. 2010;12(3):32-44.
76. Roberts JH. Improving primary health care services for young people experiencing psychological distress and mental health problems: a personal reflection on lessons learnt from Australia and England. *Primary Health Care Research & Development*. 2012;13(4):318-326.
77. Schley C, Radovini A, Halperin S, Fletcher K. Intensive outreach in youth mental health: Description of a service model for young people who are difficult-to-engage and 'high-risk'. *Children and Youth Services Review*. 2011;33(9):1506-1514.
78. Scott E, Naismith S, Whitwell B, Hamilton B, Chudleigh C, Hickie I. Delivering youth-specific mental health services: the advantages of a collaborative, multi-disciplinary system. *Australasian Psychiatry*. 2009;17(3):189-194.
79. Scott EM, Hermens DF, Glozier N, Naismith SL, Guastella AJ, Hickie IB. Targeted primary care-based mental health services for young Australians. *Medical Journal of Australia*. 2012;196:136-140.
80. Shulman N, Adams B. A comparison of Russian and British attitudes towards mental health problems in the community. *International Journal of Social Psychiatry*. 2002;48(4):266-278.
81. Sivagurunathan C, Umadevi R, Rama R, Gopalakrishnan S. Adolescent health: present status and its related programmes in India. Are we in the right direction? *Journal of Clinical and Diagnostic Research JCDR*. 2015;9(3):LE01-06.
82. Smink FRE, van Hoeken D, Dijkstra JK, Deen M, Oldehinkel AJ, Hoek HW. Self-esteem and peer-perceived social status in early adolescence and prediction of eating pathology in young adulthood. *International Journal of Eating Disorders*. 2018;51(8):852-862.
83. Smith L, Strumpher J, Morton DG. Perceptions of mental healthcare professionals regarding inpatient therapy programmes for adolescents in the Eastern Cape, South Africa. *Journal of Child & Adolescent Mental Health*. 2015;27(1):59-73.
84. Stanzel KA. Outreach youth health service in school setting: a retrospective case study. *Australian Journal of Primary Health*. 2016;22(3):185-189.

85. Stice E, Gau JM, Rohde P, Shaw H. Risk factors that predict future onset of each DSM-5 eating disorder: Predictive specificity in high-risk adolescent females. *Journal of Abnormal Psychology*. 2017;126(1):38-51.
86. Tobin V, Bockting WO, Hughes TL. Mental Health Promotion for Gender Minority Adolescents. *Journal of Psychosocial Nursing & Mental Health Services*. 2018;56(12):22-30.
87. Turner L, Spencer L, Strugnell J, et al. Young people have their say: What makes a youth-friendly general practice? *Australian Family Physician*. 2017;46(1):70-74.
88. Watsford C, Rickwood D. Young people's expectations, preferences and actual experience of youth mental health care. *International Journal of Adolescence and Youth*. 2015;20(3):284-294.
89. Webb MJ, Wadley G, Sancu LA. Improving Patient-Centered Care for Young People in General Practice With a Codesigned Screening App: Mixed Methods Study. *JMIR MHealth and UHealth*. 2017;5(8):e118.
90. Webb MJ, Wadley G, Sancu LA. Experiences of General Practitioners and Practice Support Staff Using a Health and Lifestyle Screening App in Primary Health Care: Implementation Case Study. *JMIR MHealth and UHealth*. 2018;6(4):e105.
91. Weine SM, Ware N, Hakizimana L, et al. Fostering Resilience: Protective Agents, Resources, and Mechanisms for Adolescent Refugees' Psychosocial Well-Being. *Adolescent Psychiatry*. 2014;4(4):164-176.
92. Whitson ML, Connell CM, Bernard S, Kaufman JS. The impact of youth and family risk factors on service recommendations and delivery in a school-based system of care. *Journal of Behavioral Health Services & Research*. 2011;38(2):146-158.
93. WHO. *Making health services adolescent friendly: Developing national quality standards for adolescent friendly health services*. Geneva: World Health Organisation;2012.
94. Williams CL, Cooper WO, Balmer LS, et al. Evaluation and disposition of Medicaid-insured children and adolescents with suicide attempts. *Academic pediatrics*. 2015;15(1):36-40.
95. Wilson J, Clarke T, Lower R, et al. Creating an innovative youth mental health service in the United Kingdom: The Norfolk Youth Service. *Early intervention in psychiatry*. 2018;12(4):740-746.

1.3 | COMMUNITY AWARENESS AND EDUCATION

1. Abdulmalik JO, Sale S. Pathways to Psychiatric Care for Children and Adolescents at a Tertiary Facility in Northern Nigeria. *Journal of Public Health in Africa*. 2012;3(1):e4.
2. Agyapong VI, Rogers C, Machale S, Cotter D. Factors predicting adherence with psychiatric follow-up appointments for patients assessed by the liaison psychiatric team in the emergency department. *International Journal of Psychiatry in Medicine*. 2010;40(2):217-228.
3. Alegria M, Carson N, Flores M, et al. Activation, self-management, engagement, and retention in behavioral health care: a randomized clinical trial of the DECIDE intervention. *JAMA Psychiatry*. 2014;71(5):557-565.

4. Andersen AJ, Svensson T. Internet-based mental health services in Norway and Sweden: characteristics and consequences. *Administration & Policy in Mental Health*. 2013;40(2):145-153.
5. Anonymous. Critical services for our children: integrating mental and oral health into primary care. *Issue Brief (Grantmakers in Health)*. 2008(30):i-iii, 1-27.
6. Arnau J, Bono R, Diaz R, Goti J. Drug awareness in adolescents attending a mental health service: analysis of longitudinal data. *Spanish Journal of Psychology*. 2011;14(2):724-733.
7. Augsberger A, Yeung A, Dougher M, Hahm HC. Factors influencing the underutilization of mental health services among Asian American women with a history of depression and suicide. *BMC Health Services Research*. 2015;15:542.
8. Ayala LM, Wang J, Anderson S, et al. Implementing a community bullying awareness intervention in an adolescent psychiatric unit: a feasibility study. *Archives of Psychiatric Nursing*. 2015;29(6):426-433.
9. Azale T, Fekadu A, Hanlon C. Treatment gap and help-seeking for postpartum depression in a rural African setting. *BMC Psychiatry*. 2016;16:196.
10. Bakker D, Rickard N. Engagement in mobile phone app for self-monitoring of emotional wellbeing predicts changes in mental health: MoodPrism. *Journal of Affective Disorders*. 2018;227:432-442.
11. Bartlett H, Travers C, Cartwright C, Smith N. Mental health literacy in rural Queensland: results of a community survey. *Australian & New Zealand Journal of Psychiatry*. 2006;40(9):783-789.
12. Bauman JG. Depression in adolescents: review of a nursing research report. *Kentucky Nurse*. 2013;61(4):4.
13. Ben-David S, Cole AR, Brucato G, Girgis R, Munson MR. A conceptual model of mental health service utilization among young adults at clinical high-risk for developing psychosis. *Psychiatric Rehabilitation Journal*. 2018;29:29.
14. Bennett BK, Gamelli RL, Duchene RC, Atkocaitis D, Plunkett JA. Burn Education Awareness Recognition and Support (BEARS): a community-based juvenile firesetters assessment and treatment program. *Journal of Burn Care & Rehabilitation*. 2004;25(3):324-327.
15. Birchwood M, Connor C, Lester H, et al. Reducing duration of untreated psychosis: care pathways to early intervention in psychosis services. *British Journal of Psychiatry*. 2013;203(1):58-64.
16. Blignault I, Bunde-Birouste A, Ritchie J, Silove D, Zwi AB. Community perceptions of mental health needs: a qualitative study in the Solomon Islands. *International Journal of Mental Health Systems*. 2009;3(1):6.
17. Blignault I, Woodland L, Ponzio V, Ristevski D, Kirov S. Using a multifaceted community intervention to reduce stigma about mental illness in an Australian Macedonian community. *Health Promotion Journal of Australia*. 2009;20(3):227-233.
18. Bonell S, Underwood L, Radhakrishnan V, McCarthy J. Experiences of mental health services by people with intellectual disabilities from different ethnic groups: a Delphi consultation. *Journal of Intellectual Disability Research*. 2012;56(9):902-909.
19. Bradford J, Reisner SL, Honnold JA, Xavier J. Experiences of transgender-related discrimination and implications for health: results from the Virginia Transgender Health Initiative Study. *American Journal of Public Health*. 2013;103(10):1820-1829.

20. Brenman NF, Luitel NP, Mall S, Jordans MJ. Demand and access to mental health services: a qualitative formative study in Nepal. *BMC International Health & Human Rights*. 2014;14:22.
21. Bressington D, Mui J, Gray R. Factors associated with antipsychotic medication adherence in community-based patients with schizophrenia in Hong Kong: a cross sectional study. *International Journal of Mental Health Nursing*. 2013;22(1):35-46.
22. Brockington I, Chandra P, Dubowitz H, et al. WPA guidance on the protection and promotion of mental health in children of persons with severe mental disorders. *World Psychiatry*. 2011;10(2):93-102.
23. Brown DR, Ahmed F, Gary LE, Milburn NG. Major depression in a community sample of African Americans. *American Journal of Psychiatry*. 1995;152(3):373-378.
24. Bussing R, Zima BT, Mason DM, Meyer JM, White K, Garvan CW. ADHD knowledge, perceptions, and information sources: perspectives from a community sample of adolescents and their parents. *Journal of Adolescent Health*. 2012;51(6):593-600.
25. Cadario E, Stanton J, Nicholls P, et al. A qualitative investigation of first-episode psychosis in adolescents. *Clinical Child Psychology & Psychiatry*. 2012;17(1):81-102.
26. Camann MA. To your health: implementation of a wellness program for treatment staff and persons with mental illness. *Archives of Psychiatric Nursing*. 2001;15(4):182-187.
27. Capp K, Deane FP, Lambert G. Suicide prevention in Aboriginal communities: application of community gatekeeper training. *Australian & New Zealand Journal of Public Health*. 2001;25(4):315-321.
28. Chen FP, Gearing RE, DeVlyder JE, Oh HY. Pathway model of parental help seeking for adolescents experiencing first-episode psychosis. *Early intervention in psychiatry*. 2016;10(2):122-128.
29. Chenhall R, Senior K. "Those young people all crankybella": Indigenous youth mental health and globalization. *International Journal of Mental Health*. 2009;38(3):28-43.
30. Coates D, Saleeba C, Howe D. Mental Health Attitudes and Beliefs in a Community Sample on the Central Coast in Australia: Barriers to Help Seeking. *Community Mental Health Journal*. 2018;27:27.
31. Connor C, Birchwood M, Freemantle N, et al. Don't turn your back on the symptoms of psychosis: the results of a proof-of-principle, quasi-experimental intervention to reduce duration of untreated psychosis. *BMC Psychiatry*. 2016;16:127.
32. Connor C, Greenfield S, Lester H, et al. Seeking help for first-episode psychosis: a family narrative. *Early intervention in psychiatry*. 2016;10(4):334-345.
33. Convisser RB, Vollinger RE, Jr., Wilbur P. Using national news events to stimulate local awareness of public policy issues. *Public Health Reports*. 1990;105(3):257-260.
34. Coverdale GE, Long AF. Emotional wellbeing and mental health: an exploration into health promotion in young people and families. *Perspectives in Public Health*. 2015;135(1):27-36.
35. Cross SPM, Scott J, Hickie IB. Predicting early transition from sub-syndromal presentations to major mental disorders. *BJPsych Open*. 2017;3(5):223-227.
36. Daly BP, Burke R, Hare I, et al. Enhancing No Child Left Behind-School mental health connections. *Journal of School Health*. 2006;76(9):446-451.
37. Donald M, Dower J. Risk and protective factors for depressive symptomatology among a community sample of adolescents and young adults. *Australian & New Zealand Journal of Public Health*. 2002;26(6):555-562.

38. Enns J, Holmqvist M, Wener P, et al. Mapping interventions that promote mental health in the general population: A scoping review of reviews. *Preventive Medicine*. 2016;87:70-80.
39. Ford-Paz RE, Kuebbeler A, Contreras R, Garduno M, Sanchez B. Training Community Opinion Leaders to Raise Awareness and Promote Early Intervention for Depressed Latino Adolescents. *Progress in Community Health Partnerships*. 2015;9(2):191-201.
40. Fresan A, Robles-Garcia R, Madrigal E, Tovilla-Zarate CA, Martinez-Lopez N, Arango de Montis I. Demographic and clinical features related to perceived discrimination in schizophrenia. *Psychiatry Research*. 2018;262:427-430.
41. Fuller-Thomson E, Sheridan MP, Sorichetti C, Mehta R. Underage binge drinking adolescents: sociodemographic profile and utilization of family doctors. *ISRN Family Medicine*. 2013;2013:728730.
42. Fung E, Lo TL, Chan RW, Woo FC, Ma CW, Mak BS. Outcome of a Knowledge Contact-based Anti-stigma Programme in Adolescents and Adults in the Chinese Population. *East Asian Archives of Psychiatry*. 2016;26(4):129-136.
43. Furnham A, Dadabhoy H. Beliefs about causes, behavioural manifestations and treatment of borderline personality disorder in a community sample. *Psychiatry Research*. 2012;197(3):307-313.
44. Garcia CM, Gilchrist L, Vazquez G, Leite A, Raymond N. Urban and rural immigrant Latino youths' and adults' knowledge and beliefs about mental health resources. *Journal of Immigrant & Minority Health*. 2011;13(3):500-509.
45. Garcia CM, Saewyc EM. Perceptions of mental health among recently immigrated Mexican adolescents. *Issues in Mental Health Nursing*. 2007;28(1):37-54.
46. Godoy Garraza L, Walrath C, Goldston DB, Reid H, McKeon R. Effect of the Garrett Lee Smith Memorial Suicide Prevention Program on Suicide Attempts Among Youths. *JAMA Psychiatry*. 2015;72(11):1143-1149.
47. Hailemariam M, Fekadu A, Prince M, Hanlon C. Engaging and staying engaged: a phenomenological study of barriers to equitable access to mental healthcare for people with severe mental disorders in a rural African setting. *International Journal for Equity in Health*. 2017;16(1):156.
48. Hargreaves B, Bailey A. Improving Youth Mental Health & Suicide Prevention Program: Improving young people's access to health care through General Practice. *Australian Journal of Primary Health*. 2001;7(1):136-139.
49. Hart CR, Berry HL, Tonna AM. Improving the mental health of rural New South Wales communities facing drought and other adversities. *Australian Journal of Rural Health*. 2011;19(5):231-238.
50. Healy S, Lynch F. Cyberbullying and its effects on young adolescents: a community-based survey. *Irish Journal of Psychological Medicine*. 2013;30(2):103-111.
51. Hickie IB, Luscombe GM, Davenport TA, Burns JM, Highet NJ. Perspectives of young people on depression: awareness, experiences, attitudes and treatment preferences. *Early intervention in psychiatry*. 2007;1(4):333-339.
52. Highet NJ, Hickie IB, Davenport TA. Monitoring awareness of and attitudes to depression in Australia. *Medical Journal of Australia*. 2002;176 Suppl:S63-68.
53. Highet NJ, Luscombe GM, Davenport TA, Burns JM, Hickie IB. Positive relationships between public awareness activity and recognition of the impacts of depression in Australia. *Australian & New Zealand Journal of Psychiatry*. 2006;40(1):55-58.

54. Hight NJ, McNair BG, Thompson M, Davenport TA, Hickie IB. Experience with treatment services for people with bipolar disorder. *Medical Journal of Australia*. 2004;181(7 Suppl):S47-51.
55. Hirani SS, Norris CM, Van Vliet KJ, Van Zanten SV, Karmaliani R, Lasiuk G. Social support intervention to promote resilience and quality of life in women living in Karachi, Pakistan: a randomized controlled trial. *International Journal of Public Health*. 2018;63(6):693-702.
56. Hoifodt TS, Talseth AG, Olstad R. A qualitative study of the learning processes in young physicians treating suicidal patients: from insecurity to personal pattern knowledge and self-confidence. *BMC Medical Education*. 2007;7:21.
57. Hootman J, Houck GM, King MC. Increased mental health needs and new roles in school communities. *Journal of Child & Adolescent Psychiatric Nursing*. 2003;16(3):93-101.
58. Hoven CW, Doan T, Musa GJ, et al. Worldwide child and adolescent mental health begins with awareness: a preliminary assessment in nine countries. *International Review of Psychiatry*. 2008;20(3):261-270.
59. Ijadi-Maghsoodi R, Bonnet K, Feller S, Nagaran K, Puffer M, Kataoka S. Voices from Minority Youth on Help-Seeking and Barriers to Mental Health Services: Partnering with School-Based Health Centers. *Ethnicity & Disease*. 2018;28(Suppl 2):437-444.
60. Jaber RM, Farroukh M, Ismail M, et al. Measuring depression and stigma towards depression and mental health treatment among adolescents in an Arab-American community. *International Journal of Culture & Mental Health*. 2015;8(3):247-254.
61. James S, Chisholm D, Murthy RS, et al. Demand for, access to and use of community mental health care: lessons from a demonstration project in India and Pakistan. *International Journal of Social Psychiatry*. 2002;48(3):163-176.
62. Jee SH, Couderc JP, Swanson D, et al. A pilot randomized trial teaching mindfulness-based stress reduction to traumatized youth in foster care. *Complementary Therapies in Clinical Practice*. 2015;21(3):201-209.
63. Johnson IR, McDonnell C, O'Connell AM, Glynn LG. Patient perspectives on health, health needs, and health care services in a rural Irish community: a qualitative study. *Rural & Remote Health*. 2011;11(3):1659.
64. Jordans MJ, Tol WA, Ndayisaba A, Komproe IH. A controlled evaluation of a brief parenting psychoeducation intervention in Burundi. *Social Psychiatry & Psychiatric Epidemiology*. 2013;48(11):1851-1859.
65. Jorm AF. Australian young people's awareness of headspace, beyondblue and other mental health organizations. *Australasian Psychiatry*. 2009;17(6):472-474.
66. Jorm AF, Kelly CM, Wright A, Parslow RA, Harris MG, McGorry PD. Belief in dealing with depression alone: results from community surveys of adolescents and adults. *Journal of Affective Disorders*. 2006;96(1-2):59-65.
67. Juengsiragulwit D. Opportunities and obstacles in child and adolescent mental health services in low- and middle-income countries: a review of the literature. *WHO Southeast Asia Journal of Public Health*. 2015;4(2):110-122.
68. Kelly PJ, Lesser J, Peralez-Dieckmann E, Castilla M. Community-based violence awareness. *Issues in Mental Health Nursing*. 2007;28(3):241-253.
69. Khoja S, Khan MA, Husyin N, et al. Improving Mental Health Care for Young Adults in Badakshan Province of Afghanistan Using eHealth. *Studies in Health Technology & Informatics*. 2015;209:46-50.

70. Kim JL, Cho J, Park S, Park EC. Depression symptom and professional mental health service use. *BMC Psychiatry*. 2015;15:261.
71. Knifton L, Gervais M, Newbigging K, et al. Community conversation: addressing mental health stigma with ethnic minority communities. *Social Psychiatry & Psychiatric Epidemiology*. 2010;45(4):497-504.
72. Koh E, Shrimpton B. Art promoting mental health literacy and a positive attitude towards people with experience of mental illness. *International Journal of Social Psychiatry*. 2014;60(2):169-174.
73. Kulbok PA, Meszaros PS, Bond DC, et al. Youths as partners in a community participatory project for substance use prevention. *Family & Community Health*. 2015;38(1):3-11.
74. Leahy D, Schaffalitzky E, Saunders J, et al. Role of the general practitioner in providing early intervention for youth mental health: a mixed methods investigation. *Early intervention in psychiatry*. 2018;12(2):202-216.
75. Lee JB, DeFrank G, Gaipa J, Arden M. Applying a Global Perspective to School-Based Health Centers in New York City. *Annals of Global Health*. 2017;83(5-6):803-807.
76. Lee S, Juon HS, Martinez G, et al. Model minority at risk: expressed needs of mental health by Asian American young adults. *Journal of Community Health*. 2009;34(2):144-152.
77. Lloyd-Evans B, Sweeney A, Hinton M, et al. Evaluation of a community awareness programme to reduce delays in referrals to early intervention services and enhance early detection of psychosis. *BMC Psychiatry*. 2015;15:98.
78. Loos S, Clarke E, Jordan H, et al. Recovery and decision-making involvement in people with severe mental illness from six countries: a prospective observational study. *BMC Psychiatry*. 2017;17(1):38.
79. Madianos MG, Zartaloudi A, Alevizopoulos G, Katostaras T. Attitudes toward help-seeking and duration of untreated mental disorders in a sectorized Athens area of Greece. *Community Mental Health Journal*. 2011;47(5):583-593.
80. Mak WW, Wu CF. Cognitive insight and causal attribution in the development of self-stigma among individuals with schizophrenia. *Psychiatric Services*. 2006;57(12):1800-1802.
81. Makol BA, Polo AJ. Parent-Child Endorsement Discrepancies among Youth at Chronic-Risk for Depression. *Journal of Abnormal Child Psychology*. 2018;46(5):1077-1088.
82. Maloney D, Jones J, Walter G, Davenport R. Addressing mental health concerns in schools: does School-Link achieve its aims? *Australasian Psychiatry*. 2008;16(1):48-53.
83. Manikam L, Shah R, Reed K, Santini G, Lakhanpaul M. Using a co-production prioritization exercise involving South Asian children, young people and their families to identify health priorities requiring further research and public awareness. *Health Expectations*. 2017;20(5):852-861.
84. Masillo A, Monducci E, Pucci D, et al. Evaluation of secondary school teachers' knowledge about psychosis: a contribution to early detection. *Early intervention in psychiatry*. 2012;6(1):76-82.
85. Maulik PK, Devarapalli S, Kallakuri S, et al. Evaluation of an anti-stigma campaign related to common mental disorders in rural India: a mixed methods approach. *Psychological Medicine*. 2017;47(3):565-575.

86. McKelvey RS, Baldassar LV, Sang DL, Roberts L. Vietnamese parental perceptions of child and adolescent mental illness. *Journal of the American Academy of Child & Adolescent Psychiatry*. 1999;38(10):1302-1309.
87. Memon A, Taylor K, Mohebati LM, et al. Perceived barriers to accessing mental health services among black and minority ethnic (BME) communities: a qualitative study in Southeast England. *BMJ Open*. 2016;6(11):e012337.
88. Miao T-A, Umemoto K, Gonda D, Hishinuma ES. Essential elements for community engagement in evidence-based youth violence prevention. *American journal of community psychology*. 2011;48(1-2):120-132.
89. Moe C, Kvig EI, Brinchmann B, Brinchmann BS. 'Working behind the scenes'. An ethical view of mental health nursing and first-episode psychosis. *Nursing Ethics*. 2013;20(5):517-527.
90. Morgan A, Jorm A. Awareness of beyondblue: the national depression initiative in Australian young people. *Australasian Psychiatry*. 2007;15(4):329-333.
91. Mullen G, Dowling C, O'Reilly G. Internet use among young people with and without mental health difficulties. *Irish Journal of Psychological Medicine*. 2018;35(1):11-21.
92. Mulvaney-Day NE, Rappaport N, Alegria M, Codianne LM. Developing systems interventions in a school setting: an application of community-based participatory research for mental health. *Ethnicity & Disease*. 2006;16(1 Suppl 1):S107-117.
93. Okamura KH, Orimoto TE, Mah AC, et al. Insights in Public Health: The Help Your Keiki Website: Increasing Youth and Caregiver Awareness of Youth Psychosocial Mental Health Treatment. *Hawai'i Journal of Medicine & Public Health : A Journal of Asia Pacific Medicine & Public Health*. 2018;77(8):203-207.
94. O'Reilly CL, Wong E, Chen TF. A feasibility study of community pharmacists performing depression screening services. *Research In Social & Administrative Pharmacy*. 2015;11(3):364-381.
95. Owens C, Owen G, Lambert H, et al. Public involvement in suicide prevention: understanding and strengthening lay responses to distress. *BMC Public Health*. 2009;9:308.
96. Pang S, Subramaniam M, Lee SP, et al. The Singaporean public beliefs about the causes of mental illness: results from a multi-ethnic population-based study. *Epidemiology & Psychiatric Science*. 2018;27(4):403-412.
97. Pasha N, Saeed S, Drewek K. Monitoring of physical health parameters for inpatients on a child and adolescent mental health unit receiving regular antipsychotic therapy. *BMJ Quality Improvement Reports*. 2015;4(1).
98. Pinfold V, Thornicroft G, Huxley P, Farmer P. Active ingredients in anti-stigma programmes in mental health. *International Review of Psychiatry*. 2005;17(2):123-131.
99. Podorefsky DL, McDonald-Dowdell M, Beardslee WR. Adaptation of preventive interventions for a low-income, culturally diverse community. *Journal of the American Academy of Child & Adolescent Psychiatry*. 2001;40(8):879-886.
100. Povey J, Mills PP, Dingwall KM, et al. Acceptability of Mental Health Apps for Aboriginal and Torres Strait Islander Australians: A Qualitative Study. *Journal of Medical Internet Research*. 2016;18(3):e65.
101. Pringle A, Sayers P. It's a goal!: Basing a community psychiatric nursing service in a local football stadium. *Journal of the Royal Society for the Promotion of Health*. 2004;124(5):234-238.

102. Rickwood D, Paraskakis M, Quin D, et al. Australia's innovation in youth mental health care: The headspace centre model. *Early intervention in psychiatry*. 2019;13(1):159-166.
103. Rioux DR, Van Meter W. The ABCs of awareness: a multimodal approach to relapse prevention and intervention--the College Hill Medical Center program. *Journal of Substance Abuse Treatment*. 1990;7(1):61-63.
104. Roberts RE, Alegria M, Roberts CR, Chen IG. Concordance of reports of mental health functioning by adolescents and their caregivers: a comparison of European, African and Latino Americans. *Journal of Nervous & Mental Disease*. 2005;193(8):528-534.
105. Roeg D, van de Goor I, Garretsen H. Predicting initial client engagement with community mental health services by routinely measured data. *Community Mental Health Journal*. 2015;51(1):71-78.
106. Rosenberg M, Ferguson R. Maintaining relevance: an evaluation of health message sponsorship at Australian community sport and arts events. *BMC Public Health*. 2014;14:1242.
107. Ruiz-Casares M. Research ethics in global mental health: advancing culturally responsive mental health research. *Transcultural Psychiatry*. 2014;51(6):790-805.
108. Ryan JL, Warner CM. Treating adolescents with social anxiety disorder in schools. *Child & Adolescent Psychiatric Clinics of North America*. 2012;21(1):105-118, ix.
109. Sampogna G, Bakolis I, Evans-Lacko S, Robinson E, Thornicroft G, Henderson C. The impact of social marketing campaigns on reducing mental health stigma: Results from the 2009-2014 Time to Change programme. *European Psychiatry: the Journal of the Association of European Psychiatrists*. 2017;40:116-122.
110. Schultze-Lutter F, Ruhrmann S, Klosterkötter J. Early detection of psychosis - establishing a service for persons at risk. *European Psychiatry: the Journal of the Association of European Psychiatrists*. 2009;24(1):1-10.
111. Seedat S, Stein DJ, Herman A, et al. Twelve-month treatment of psychiatric disorders in the South African Stress and Health Study (World Mental Health Survey Initiative). *Social Psychiatry & Psychiatric Epidemiology*. 2008;43(11):889-897.
112. Sen B. Adolescent propensity for depressed mood and help seeking: race and gender differences. *The Journal of Mental Health Policy & Economics*. 2004;7(3):133-145.
113. Shahtahmasebi S. De-politicizing youth suicide prevention. *Frontiers in Pediatrics*. 2013;1:8.
114. Shulman N, Adams B. A comparison of Russian and British attitudes towards mental health problems in the community. *International Journal of Social Psychiatry*. 2002;48(4):266-278.
115. Sprung S, Laing M. Young carer awareness, identification and referral. *British Journal of Community Nursing*. 2017;22(8):398-406.
116. Storm M, Hausken K, Knudsen K. Inpatient service providers' perspectives on service user involvement in Norwegian community mental health centres. *International Journal of Social Psychiatry*. 2011;57(6):551-563.
117. Storm M, Hausken K, Mikkelsen A. User involvement in in-patient mental health services: operationalisation, empirical testing, and validation. *Journal of Clinical Nursing*. 2010;19(13-14):1897-1907.
118. Tamburrino I, Getanda E, O'Reilly M, Vostanis P. "Everybody's responsibility": Conceptualization of youth mental health in Kenya. *Journal of Child Health Care*. 2018:1367493518814918.

119. Terry DR, Le Q, Nguyen HB. Moving forward with dignity: Exploring health awareness in an isolated Deaf community of Australia. *Disability & Health Journal*. 2016;9(2):281-288.
120. Theriault FL, Colman I. Awareness of treatment history in family and friends, and mental health care seeking propensity. *Social Psychiatry & Psychiatric Epidemiology*. 2017;52(4):485-492.
121. Thomas CM, Morris S. Cost of depression among adults in England in 2000. *British Journal of Psychiatry*. 2003;183:514-519.
122. Todahl JL, Linville D, Bustin A, Wheeler J, Gau J. Sexual assault support services and community systems: understanding critical issues and needs in the LGBTQ community. *Violence Against Women*. 2009;15(8):952-976.
123. Torres AR, Prince MJ, Bebbington PE, et al. Treatment seeking by individuals with obsessive-compulsive disorder from the british psychiatric morbidity survey of 2000. *Psychiatric Services*. 2007;58(7):977-982.
124. Treno AJ, Gruenewald PJ, Lee JP, Remer LG. The Sacramento Neighborhood Alcohol Prevention Project: outcomes from a community prevention trial. *Journal of Studies on Alcohol & Drugs*. 2007;68(2):197-207.
125. Van Dorn RA, Elbogen EB, Redlich AD, Swanson JW, Swartz MS, Mustillo S. The relationship between mandated community treatment and perceived barriers to care in persons with severe mental illness. *International Journal of Law & Psychiatry*. 2006;29(6):495-506.
126. Vance A, McGaw J, Winther J, Rayner M, White S, Smith A. Mental health care for Indigenous young people: moving culture from the margins to the centre. *Australasian Psychiatry*. 2017;25(2):157-160.
127. Vicente B, de la Barra F, Saldivia S, Kohn R, Rioseco P, Melipillan R. Prevalence of child and adolescent psychiatric disorders in Santiago, Chile: a community epidemiological study. *Social Psychiatry & Psychiatric Epidemiology*. 2012;47(7):1099-1109.
128. Walter G, Soh NL, Norgren Jaconelli S, Lampe L, Malhi GS, Hunt G. Medical students' subjective ratings of stress levels and awareness of student support services about mental health. *Postgraduate Medical Journal*. 2013;89(1052):311-315.
129. Wang J, Hausermann M, Berrut S, Weiss MG. The impact of a depression awareness campaign on mental health literacy and mental morbidity among gay men. *Journal of Affective Disorders*. 2013;150(2):306-312.
130. Wharf Higgins J, Begoray D, MacDonald M. A social ecological conceptual framework for understanding adolescent health literacy in the health education classroom. *American Journal of Community Psychology*. 2009;44(3-4):350-362.
131. Wilf-Miron R, Sikron F, Glasser S, Barell V. Community-based adolescent health services in Israel: from theory to practice. *International Journal of Adolescent Medicine & Health*. 2002;14(2):139-144.
132. Wolf EM, Yung BR, Cotton KL. Collaborative needs assessment for child mental health program development. *Journal of Mental Health Administration*. 1994;21(2):161-169.
133. Wong GH, Hui CL, Tang JY, et al. Early intervention for psychotic disorders: Real-life implementation in Hong Kong. *Asian Journal of Psychiatry*. 2012;5(1):68-72.
134. Wright A, Jorm AF, Mackinnon AJ. Labeling of mental disorders and stigma in young people. *Social Science & Medicine*. 2011;73(4):498-506.

135. Wright A, McGorry PD, Harris MG, Jorm AF, Pennell K. Development and evaluation of a youth mental health community awareness campaign - The Compass Strategy. *BMC Public Health*. 2006;6:215.
136. Wright J, Lubben F, Mkandawire MB. Young Malawians on the interaction between mental health and HIV/AIDS. *African Journal of AIDS Research*. 2007;6(3):297-304.
137. Yap MB, Reavley NJ, Jorm AF. Australian youth still have limited awareness of headspace: results from a national survey. *Australian & New Zealand Journal of Psychiatry*. 2012;46(1):28-34.
138. Yap MB, Reavley NJ, Jorm AF. The associations between psychiatric label use and young people's help-seeking preferences: results from an Australian national survey. *Epidemiology & Psychiatric Science*. 2014;23(1):51-59.

1.4 | EARLY IDENTIFICATION

1. Acharya A. Early prevention of mental disorder is the key in keeping good mental health. *European Psychiatry Conference: 18th European Congress of Psychiatry Munich Germany Conference Publication*:. 2010;25(SUPPL. 1).
3. Anonymous. Erratum: "Next-generation psychiatric assessment: Using smartphone sensors to monitor behavior and mental health": Correction to Ben-Zeev et al. (2015) (*Psychiatric rehabilitation journal* (2015) 38 3 (218-226)). *Psychiatric rehabilitation journal*. 2015;38(4):313.
4. Auerbach RP, Mortier P, Bruffaerts R, et al. *WHO World Mental Health Surveys International College Student Project: Prevalence and Distribution of Mental Disorders. [Miscellaneous]*. *Journal of Abnormal Psychology* October 2018;127(7):623-638.
5. Banda B. The effects of diagnosing and treating mental health: A model program for African American and Hispanic juvenile offenders. *Dissertation Abstracts International: Section B: The Sciences and Engineering*. 2012;72(10-B):6375.
6. Bargiota SI, Bozikas VP, Garyfallos G, McGuire P. Early intervention services in Greece: Time to focus on people at high risk. *Psychiatrike = Psychiatriki*. 2018;29(1):58-63.
7. Bartgis J, Albright G. Online role-play simulations with emotionally responsive avatars for the early detection of Native youth psychological distress, including depression and suicidal ideation. *American Indian and Alaska native mental health research (Online)*. 2016;23(2):1-27.
8. Bavdaz B. 'Something has changed'. Developing early intervention in service in Trieste. *Psychiatria Danubina*. 2011;23(SUPPL. 1):S94-S98.
9. Bechdolf A, Nelson B, Cotton SM, et al. A preliminary evaluation of the validity of at-risk criteria for bipolar disorders in help-seeking adolescents and young adults. *Journal of Affective Disorders*. 2010;127(1-3):316-320.
10. Berger G, Fraser R, Carbone S, McGorry P. Emerging psychosis in young people - Part 1 - key issues for detection and assessment. *Australian family physician*. 2006;35(5):315-321.
11. Birchwood M. Youth space and youth mental health. *European Psychiatry*. 2018;48 (Supplement 1):S7.

12. Birchwood M, Connor C, Lester H, et al. Reducing duration of untreated psychosis: care pathways to early intervention in psychosis services. *British Journal of Psychiatry*. 2013;203(1):58-64.
13. Bird V, Premkumar P, Kendall T, Whittington C, Mitchell J, Kuipers E. Early intervention services, cognitive-behavioural therapy and family intervention in early psychosis: systematic review. *British Journal of Psychiatry*. 2010;197(5):350-356.
14. Bolte S, Tomalski P, Marschik PB, et al. *Challenges and Inequalities of Opportunities in European Psychiatry Research: The Example of Psychodiagnostic Tool Availability in Research on Early Autism Identification*. [Report]. *European Journal of Psychological Assessment* 2018;34(4):270-277.
15. Burns JR, Rapee RM. Screening for mental health risk in high schools: The development of the youth RADAR. *Psychological Assessment*. 2016;28(10):1220-1231.
16. Byrne RE, Morrison AP. Young people at risk of psychosis: their subjective experiences of monitoring and cognitive behaviour therapy in the early detection and intervention evaluation 2 trial. *Psychology and psychotherapy*. 2014;87(3):357-371.
17. Chapman C, Slade T, Hunt C, Teesson M. Delay to first treatment contact for alcohol use disorder. *Drug & Alcohol Dependence*. 2015;147:116-121.
18. Chen FP, Gearing RE, DeVlyder JE, Oh HY. Pathway model of parental help seeking for adolescents experiencing first-episode psychosis. *Early intervention in psychiatry*. 2016;10(2):122-128.
19. Chenhall R, Senior K. "Those young people all crankybella": Indigenous youth mental health and globalization. *International Journal of Mental Health*. 2009;38(3):28-43.
20. Choi KRPRN, Easterlin MCMD. *Intervention Models for Increasing Access to Behavioral Health Services Among Youth: A Systematic Review*. [Review]. *Journal of Developmental & Behavioral Pediatrics* December 2018;39(9):754-762; 2012.
21. Cholz M, Ferre F, Echeburua E. Screening for emerging addictions in young people. Results of the Spanish National Strategy of Mental Health. *Journal of Behavioral Addictions*. 2016;5 (Supplement 1):8-9.
22. Connolly MD, Zervos MJ, Barone CJ, Johnson CC, Joseph CLM. The Mental Health of Transgender Youth: Advances in Understanding. *Journal of Adolescent Health*. 2016;59(5):489-495.
23. Connor C, Greenfield S, Lester H, et al. Seeking help for first-episode psychosis: a family narrative. *Early intervention in psychiatry*. 2016;10(4):334-345.
24. Copeland WE, Shanahan L, Costello EJ, Angold A. Childhood and adolescent psychiatric disorders as predictors of young adult disorders. *Archives of General Psychiatry*. 2009;66(7):764-772.
25. Costello EJ. Early Detection and Prevention of Mental Health Problems: Developmental Epidemiology and Systems of Support. *Journal of Clinical Child & Adolescent Psychology*. 2016;45(6):710-717.
26. Cross SPM, Scott J, Hickie IB. Predicting early transition from sub-syndromal presentations to major mental disorders. *BJPsych Open*. 2017;3(5):223-227.
27. Crouse JJ, Chitty KM, Iorfino F, et al. Exploring associations between early substance use and longitudinal socio-occupational functioning in young people engaged in a mental health service. *PLoS ONE [Electronic Resource]*. 2019;14(1):e0210877.

28. Davis M, Munson MR. *Youth and Young Adult Mental Health: Interventions, Services, Systems, and Rehabilitation*. [Article]. *Psychiatric Rehabilitation Journal* December 2018;41(4):253-257; 2018.
29. Deakin J, Lennox B. Psychotic symptoms in young people warrant urgent referral. *Practitioner*. 2013;257(1759):25-28, 23.
30. Desai L. Psychosis aware: Anonymous online screening as a form of early intervention. *Early Intervention in Psychiatry*. 2018;12 (Supplement 1):202.
31. Dominguez Martinez T, Manel Blonque J, Codina J, Montoro M, Mauri L, Barrantes-Vidal N. Rationale and state of the art in early detection and intervention in psychosis. *Salud Mental*. 2011;34(4):341-350.
32. Dominguez MDG, Fisher HL, Johnson S, Hodes M. Differential pathways to care in first episode psychosis: Adolescents versus adults. *European Child and Adolescent Psychiatry*. 2013;1):S167.
33. Donald M, Dower J. Risk and protective factors for depressive symptomatology among a community sample of adolescents and young adults. *Australian & New Zealand Journal of Public Health*. 2002;26(6):555-562.
34. Erickson J, Aughey D, Moeller A, Finkelstein M. Mental health and suicide screening in adolescent primary care. *Journal of Adolescent Health*. 2011;1):S95-S96.
35. Falloon IRH, Kydd RR, Coverdale JH, Laidlaw TM. Early Detection and Intervention for Initial Episodes of Schizophrenia. 1996.
36. Fealy S, Story I. The mental health Risk Assessment and Management Process (RAMP) for schools: I. The model. *AeJAMH (Australian e-Journal for the Advancement of Mental Health)*. 2006;5(3):1-9.
37. Fischer M, Barkley RA, Smallish L, Fletcher K. Young adult follow-up of hyperactive children: Self-reported psychiatric disorders, comorbidity, and the role of childhood conduct problems and teen CD. *Journal of Abnormal Child Psychology*. 2002;30(5):463-475.
38. Florez IA, LoParo D, Valentine N, Lamis DA. *Early Identification of Youth at Risk for Suicidal Behavior: Patterns of Identification and Referrals From Three Community Behavioral Health Centers in Georgia.*: Crisis: Journal of Crisis Intervention & Suicide; 2019.
39. Forness SR, Serna LA, Nielsen E, Lambros K, Hale MJ, Kavale KA. A model for early detection and primary prevention of emotional or behavioral disorders. *Education and Treatment of Children*. 2000;23(3):325-345.
40. Fowler DG, Hodgekins J, Arena K, et al. Early detection and psychosocial intervention for young people who are at risk of developing long term socially disabling severe mental illness: Should we give equal priority to functional recovery and complex emotional dysfunction as to psychotic symptoms? *Clinical Neuropsychiatry*. 2010;7(2):63-71.
41. Friedman-Yakoobian MS, West ML, Woodberry KA, et al. Development of a Boston Treatment Program for Youth at Clinical High Risk for Psychosis: Center for Early Detection, Assessment, and Response to Risk (CEDAR). *Harvard Review of Psychiatry*. 2018;26(5):274-286.
42. Geibel S, Habtamu K, Mekonnen G, et al. Reliability and validity of an interviewer-administered adaptation of the youth self-report for mental health screening of vulnerable young people in Ethiopia. *Plos one*. 2016;11(2).

43. Grayson HC. Caregiver impact on the relationship between need and utilization for child and adolescent mental health: An examination of factors influencing utilization of mental health services. *Dissertation Abstracts International: Section B: The Sciences and Engineering*. 2017;78(3-B(E)):No Pagination Specified.
44. Groenman AP, Janssen TWP, Oosterlaan J. Childhood Psychiatric Disorders as Risk Factor for Subsequent Substance Abuse: A Meta-Analysis. *Journal of the American Academy of Child & Adolescent Psychiatry*. 2017;56(7):556-569.
45. Guilfoyle SM, Monahan S, Wesolowski C, Modi AC. Depression screening in pediatric epilepsy: Evidence for the benefit of a behavioral medicine service in early detection. *Epilepsy and Behavior*. 2015;44:5-10.
46. Hargreaves B, Bailey A. Improving Youth Mental Health & Suicide Prevention Program: Improving young people's access to health care through General Practice. *Australian Journal of Primary Health*. 2001;7(1):136-139.
47. Honeyman C. Recognising mental health problems in children and young people. *Paediatric nursing*. 2007;19(8):38-44.
48. Hsiung DY, Yang TC, Ma WF. The Discursive Analysis of Mental Health Promotion Efforts Targeting Community-Dwelling Young Adults at High Risk of Mental Illness. [Chinese]. *Hu li za zhi The journal of nursing*. 2015;62(4):12-18.
49. Huffman LC, Nichols M. Early Detection of Young Children's Mental Health Problems in Primary Care Settings. In: *Handbook of infant, toddler, and preschool mental health assessment*. New York, NY: Oxford University Press; US; 2004:467-489.
50. Iyer SN, Boksa P, Lal S, et al. Transforming youth mental health: A Canadian perspective. *Irish Journal of Psychological Medicine*. 2015;32(1):51-60.
51. Joergensen RL, Johannessen JO, Hatloey K, Joa I. Breakthrough improvement model: Moving the hospital early detection services to a municipality youth health- and leisure center. Is it possible detecting mental illnesses earlier? *Early Intervention in Psychiatry*. 2012;6 (SUPPL.1):108.
52. Johnson S, Tanskanen S, Totman J, Lloyd-Evans B, Pilling S, Hinton M. Outcomes of an Early Detection Programme designed to promote referrals from community and educational organisations for young people Presentation for Early Intervention in a Multicultural Metropolis Symposium (Chair - S Johnson). *Early Intervention in Psychiatry*. 2010;1):149.
53. Jones D, Godwin J, Dodge KA, et al. Impact of the fast track prevention program on health services use by conduct-problem youth. *Pediatrics*. 2010;125(1):e130-136.
54. Jorgensen P, Nordentoft M, Abel MB, Gouliaev G, Jeppesen P, Kassow P. Early detection and assertive community treatment of young psychotics: The Opus study. Rationale and design of the trial. *Social Psychiatry and Psychiatric Epidemiology*. 2000;35(7):283-287.
55. Katz-Wise SL, Ehrensaft D, Vettters R, Forcier M, Austin SB. *Family functioning and mental health of transgender and gender-nonconforming youth in the trans teen and family narratives project*. [References]. *Journal of Sex Research*. Vol.55(4-5), 2018, pp. 582-590.; 2018.
56. Kawasaki Y, Hashimoto R, Ono S, Shimada T, Kihara H, Tunoda M. Early detection and intervention project for young people at risk for developing psychosis in Uchinada. *Schizophrenia Research*. 2014;1):S330.

57. Kelly CM, Jorm AF, Wright A. Improving mental health literacy as a strategy to facilitate early intervention for mental disorders. *The Medical journal of Australia*. 2007;187(7 Suppl):S26-30.
58. Knight A, Bidargaddi N. Commonly available activity tracker apps and wearables as a mental health outcome indicator: A prospective observational cohort study among young adults with psychological distress. *Journal of Affective Disorders*. 2018;236:31-36.
59. Koren D, Radin-Gilboa S, Libas Y, Carmi D. Can the stigmatizing risks of the 'at-risk' state be reduced by relabeling it 'high-risk health'? Promising pilot results from two experimental vignette studies among the general population and mental health professionals. *Schizophrenia Bulletin*. 2018;44 (Supplement 1):S54-S55.
60. Krebs MO. Implementation of early detection services in France: Current status and further perspectives. *European Psychiatry*. 2018;48 (Supplement 1):S24.
61. Kutcher S, McDougall A. Problems with access to adolescent mental health care can lead to dealings with the criminal justice system. *Paediatrics and Child Health*. 2009;14(1):15-18.
62. Kutcher S, Wei Y. Mental health and the school environment: Secondary schools, promotion and pathways to care. *Current Opinion in Psychiatry*. 2012;25(4):311-316.
63. Lambert M, Schottle D, Sengutta M, et al. Early Detection and Integrated Care in Adolescents and Young Adults with Severe Psychotic Illnesses. *Psychiatrische praxis*. 2015;42(1).
64. Lambert M, Schottle D, Sengutta M, et al. Early detection and integrated care for adolescents and young adults with severe psychotic disorders: rationales and design of the Integrated Care in Early Psychosis Study (ACCESS III). *Early Intervention in Psychiatry*. 2018;12(1):96-106.
65. Lane KL, Oakes WP, Crocker J, Weist MD. Building Strong Partnerships: Education and Mental Health Systems Working Together to Advance Behavioral Health Screening in Schools. *Report on Emotional & Behavioral Disorders in Youth*. 2017;17(4):93-101.
66. Langeveld J, Joa I, Larsen TK, Rennan JA, Cosmovici E, Johannessen JO. Teachers' awareness for psychotic symptoms in secondary school: The effects of an early detection programme and information campaign. *Early Intervention in Psychiatry*. 2011;5(2):115-121.
67. Leahy D, Schaffalitzky E, Armstrong C, et al. Primary care and youth mental health in Ireland: qualitative study in deprived urban areas. *BMC Family Practice*. 2013;14:194.
68. Lesage A, Amor LB, Conrod P, et al. A review of best practices in five mental disorders in youth. *International Journal of Technology Assessment in Health Care*. 2017;33 (Supplement 1):237.
69. Levitt JM, Saka N, Romanelli LH, Hoagwood K. Early identification of mental health problems in schools: The status of instrumentation. *Journal of School Psychology*. 2007;45(2):163-191.
70. Lloyd-Evans B, Johnson S, Hinton M, Tanskanen S, Totman J. The impact of an early detection programme for psychosis: Results from the SPEED study. *Psychiatrische Praxis Conference: 9th International Conference of the European Network for Mental Health Service Evaluation, ENMESH*. 2011;38(SUPPL. 1).
71. Lynch S, McFarlane WR, Joly B, et al. Early detection, intervention and prevention of psychosis program: Community outreach and early identification at six U.S. Sites. *Psychiatric Services*. 2016;67(5):510-516.

72. Martinsen KD, Rasmussen LMP, Wentzel-Larsen T, et al. *Prevention of Anxiety and Depression in School Children: Effectiveness of the Transdiagnostic EMOTION Program. [Report].* Journal of Consulting & Clinical Psychology February 2019;87(2):212-219; 2019.
73. Masillo A, Monducci E, Pucci D, et al. Evaluation of secondary school teachers' knowledge about psychosis: a contribution to early detection. *Early intervention in psychiatry.* 2012;6(1):76-82.
74. Mbeah-Bankas H, Marlowe K. Stimulant drug use for referrals to an early detection service: THEDS learning from Mephedrone. *Early Intervention in Psychiatry.* 2010;1):122.
75. McFarlane WR, Levin B, Travis L, et al. Clinical and functional outcomes after 2 years in the early detection and intervention for the prevention of psychosis multisite effectiveness trial. *Schizophrenia Bulletin.* 2015;41(1):30-43.
76. McFarlane WR, Susser E, McCleary R, et al. Reduction in incidence of hospitalizations for psychotic episodes through early identification and intervention. *Psychiatric Services.* 2014;65(10):1194-1200.
77. Melnyk BM, Jacobson D, Kelly S, O'Haver J, Small L, Mays MZ. Improving the Mental Health, Healthy Lifestyle Choices, and Physical Health of Hispanic Adolescents: A Randomized Controlled Pilot Study. *Journal of School Health.* 2009;79(12):575-584.
78. Miller FG, Chafouleas SM, Welsh ME, Riley-Tillman TC, Fabiano GA. *Examining the Stability of Social, Emotional, and Behavioral Risk Status: Implications for Screening Frequency.* . School Psychology January 2019;34(1):43-53; 2019.
79. Murguia S, Marlowe K. Developing a preventative mental health service for young people in a London Borough: Tower Hamlets Early Detection Service (THEDS) for Schizophrenia. *Early Intervention in Psychiatry.* 2010;1):123.
80. Nastro PF, Brandizzi M, Lindau JF, et al. Early identification of at-risk mental states in adolescents and young adults: An Italian experience. *Early Intervention in Psychiatry.* 2012;6 (SUPPL.1):121.
81. Nemeroff R, Levitt JM, Faul L, et al. Establishing Ongoing, Early Identification Programs for Mental Health Problems in Our Schools: A Feasibility Study. . *Journal of the American Academy of Child & Adolescent Psychiatry.* 2008;47(3):328-338.
82. Noltemeyer AL. Screening at-risk students for mental health intervention. In: *Mental health practice in today's schools: Issues and interventions.* New York, NY: Springer Publishing Co; US; 2015:19-36.
83. O'Reilly CL, Wong E, Chen TF. A feasibility study of community pharmacists performing depression screening services. *Research In Social & Administrative Pharmacy.* 2015;11(3):364-381.
84. Oliveras CBA, Cluver LP, Bernays SP, Armstrong ABM. *Nothing About Us Without RIGHTS-Meaningful Engagement of Children and Youth: From Research Prioritization to Clinical Trials, Implementation Science, and Policy. [Article].* JAIDS Journal of Acquired Immune Deficiency Syndromes August 15, 2018;78 Supplement 1:S27-S31.
85. Oppetit A, Brebant C, Monchablon D, et al. Early detection of mental health disorders at school: The Fil Harmonie pilot program. *Encephale.* 2018;44(3):232-238.
86. Painter KR, Scannapieco M, Blau G, Andre A, Kohn K. Improving the mental health outcomes of LGBTQ youth and young adults: A longitudinal study. *Journal of Social Service Research.* 2018;44(2):223-235.

87. Palmer CJ, Connor C, Newton BJ, Patterson P, Birchwood M. Early intervention and identification strategies for young people at risk of developing mental health issues: working in partnership with schools in Birmingham, UK. *Early Intervention in Psychiatry*. 2017;11(6):471-479.
88. Parmar A. Structured assessment for violence risk in youth (SAVRY) findings in high-risk school children and adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*. 2016;55 (10 Supplement 1):S13.
89. Peacock G, Lin SC. Enhancing early identification and coordination of intervention services for young children with autism spectrum disorders: Report from the Act Early Regional Summit Project. *Disability and Health Journal*. 2012;5(1):55-59.
90. Perez J, Russo D, Jin H, et al. Liaison with primary care to detect individuals at clinical high risk for psychosis: The legs CRCT. *Schizophrenia Bulletin*. 2015;1):S130.
91. Pfennig A, Bauer M, Leopold K. Early recognition and treatment of youth and young adults at-risk for the development of severe mental disorders. *European Psychiatry Conference: 21st European Congress of Psychiatry, EPA*. 2013;28(SUPPL. 1).
92. Raballo A, Chiri LR, Pelizza L, et al. Field-testing the early intervention paradigm in Emilia Romagna: The Reggio Emilia At Risk Mental States (Re-ARMS) project. *Early Intervention in Psychiatry*. 2014;1):88.
93. Ravindran AV, Herrera A, Kutcher S, et al. Improving youth well-being in Nicaragua through mental health education: A pilot project. *Annals of Global Health*. 2016;82 (3):597.
94. Rizvi A, Kane JM, Correll CU, Birnbaum ML. The role of social media and the internet in pathways to care for youth with psychosis. *Schizophrenia Bulletin*. 2015;1):S188.
95. Romer N. Mental health screening within a tiered model: Investigation of a strength-based approach. *Dissertation Abstracts International Section A: Humanities and Social Sciences*. 2013;74(1-A(E)):No Pagination Specified.
96. Ryall V, Radovini S, Crothers L, et al. Intensive youth outreach in mental health: An integrated framework for understanding and intervention. *Social Work in Mental Health*. 2009;7(1-3):153-175.
97. Schley C, Radovini A, Halperin S, Fletcher K. Intensive outreach in youth mental health: Description of a service model for young people who are difficult-to-engage and 'high-risk'. *Children and Youth Services Review*. 2011;33(9):1506-1514.
98. Schultze-Lutter F, Ruhrmann S, Klosterkötter J. Early detection of psychosis - establishing a service for persons at risk. *European Psychiatry: the Journal of the Association of European Psychiatrists*. 2009;24(1):1-10.
99. Servili C. An international perspective on youth mental health: the role of primary health care and collaborative care models. *Journal of the Canadian Academy of Child and Adolescent Psychiatry / Journal de l'Académie canadienne de psychiatrie de l'enfant et de l'adolescent*. 2012;21(2):127-129.
100. Shepherd J, Pickett K, Dewhurst S, et al. Training teachers for the public health workforce: systematic mapping and synthesis of effectiveness and processes. *lancet*. 2013.
101. Sherrill JT. Adaptive Treatment Strategies in Youth Mental Health: A Commentary on Advantages, Challenges, and Potential Directions. *Journal of clinical child and adolescent psychology : the official journal for the Society of Clinical Child and Adolescent Psychology, American Psychological Association, Division 53*. 2016;45(4):522-527.

102. Smith E, Meyer BJ, Koerting J, et al. Preschool hyperactivity specifically elevates long-term mental health risks more strongly in males than females: a prospective longitudinal study through to young adulthood. *European Child and Adolescent Psychiatry*. 2017;26(1):123-136.
103. Spence SH. Assessing anxiety disorders in children and adolescents. *Child and Adolescent Mental Health*. 2018;23(3):266-282.
104. Stain HJ, Clark S, O'Donnell M, Schall U. Young rural people at risk for schizophrenia: Time for mental health services to translate research evidence into best practice of care. *Australian and New Zealand Journal of Psychiatry*. 2010;44(10):872-882.
105. Trainor K, Moncrieff L. From little things big things grow: The development of an Early Psychosis service in regional Queensland - 6 years on. *Early Intervention in Psychiatry*. 2014;1):127.
106. Uher R. Experience from a prevention trial within a cohort of youth at high risk of severe mental illness. *Trials Conference: 2nd international symposium of the ethics of 'trials within cohorts', twice United Kingdom*. 2017;18(Supplement 2).
107. Valdez CR, Lambert SF, Jalongo NS. Identifying patterns of early risk for mental health and academic problems in adolescence: A longitudinal study of urban youth. *Child Psychiatry & Human Development*. 2011;42(5):521-538.
108. Valmaggia LR, Byrne M, Day F, et al. Duration of untreated psychosis and need for admission in patients who engage with mental health services in the prodromal phase. *British Journal of Psychiatry*. 2015;207(2):130-134.
109. Visser JH, Van Der Ende J, Koot HM, Verhulst FC. Predictors of psychopathology in young adults referred to mental health services in childhood or adolescence. *The British Journal of Psychiatry*. 2000;177(1):59-65.
110. Vostanis P. Patients as parents and young people approaching adulthood: How should we manage the interface between mental health services for young people and adults? *Current Opinion in Psychiatry*. 2005;18(4):449-454.
111. Vyas N, Birchwood M, Singh SP. Youth services: meeting the mental health needs of adolescents. *Irish Journal of Psychological Medicine*. 2015;32(1):13-19.
112. Waltz J, Demro C, Millman Z, et al. Salience signaling and the emergence of psychopathology in youth at clinical high risk for psychotic illness. *Schizophrenia Bulletin*. 2018;44 (Supplement 1):S43.
113. Wasserman C, Hoven CW, Wasserman D, et al. Suicide prevention for youth--a mental health awareness program: lessons learned from the Saving and Empowering Young Lives in Europe (SEYLE) intervention study. *BMC public health*. 2012;12:776.
114. Watsford C, Rickwood D. Young people's expectations, preferences and actual experience of youth mental health care. *International Journal of Adolescence and Youth*. 2015;20(3):284-294.
115. Wei Y, Kutcher S. Innovations in Practice: 'Go-to' Educator Training on the mental health competencies of educators in the secondary school setting: A program evaluation. *Child and Adolescent Mental Health*. 2014;19(3):219-222.
116. Whitley J, Smith JD, Vaillancourt T. Promoting mental health literacy among educators: Critical in school-based prevention and intervention. *Canadian Journal of School Psychology*. 2013;28(1):56-70.
117. Whitney SD, Sullivan S, Herman K. Low self-esteem as an early indicator of youth depressive symptoms. *Advances in School Mental Health Promotion*. 2010;3(2):5-16.

118. Wiljer D, Abi-Jaoude A, Johnson A, et al. Enhancing Self-Efficacy for Help-Seeking Among Transition-Aged Youth in Postsecondary Settings With Mental Health and/or Substance Use Concerns, Using Crowd-Sourced Online and Mobile Technologies: The Thought Spot Protocol. *JMIR Research Protocols*. 2016;5(4):e201.
119. Wilquin H, Delevoye-Turrell Y. An innovating tool for the early diagnosis of schizophrenia and other psychotic disorders. *European Archives of Psychiatry and Clinical Neuroscience*. 2009;1):S59.
120. Wong GH, Hui CL, Tang JY, et al. Early intervention for psychotic disorders: Real-life implementation in Hong Kong. *Asian Journal of Psychiatry*. 2012;5(1):68-72.
121. Woodberry KA. Early detection and intervention in two US centers and a US-China collaboration. *Early Intervention in Psychiatry*. 2014;1):4.
122. Yeo M, Hughes E. Eating disorders: Early identification in general practice. *Australian Family Physician*. 2011;40(3):108-111.
123. Yung AR. Youth services: the need to integrate mental health, physical health and social care: Commentary on Malla et al.: From early intervention in psychosis to youth mental health reform: a review of the evolution and transformation of mental health services for young people. *Social psychiatry and psychiatric epidemiology*. 2016;51(3):327-329.

1.5 | FAMILY AND YOUTH ENGAGEMENT

1. Acri M, Zhang S, Adler JG, Gopalan G. Peer-Delivered Models for Caregivers of Children and Adults with Health Conditions: A Review. *J Child Fam Stud*. 2017;25(2):337-344.
2. Acri MC, Bornheimer LA, Jessell L, et al. The intersection of extreme poverty and familial mental health in the United States. *Soc Work Ment Health*. 2017;15(6):677-689.
3. Afifi RA, Makhoul J, El Hajj T, Nakkash RT. Developing a logic model for youth mental health: participatory research with a refugee community in Beirut. *Health Policy and Planning*. 2011;26(6):508-517.
4. Alegria M, Carson N, Flores M, et al. Activation, self-management, engagement, and retention in behavioral health care: a randomized clinical trial of the DECIDE intervention. *JAMA Psychiatry*. 2014;71(5):557-565.
5. Ambresin A-E, Bennett K, Patton GC, Sancu LA, Sawyer SM. Assessment of youth-friendly health care: a systematic review of indicators drawn from young people's perspectives. *Journal of Adolescent Health*. 2013;52(6):670-681.
6. Anderson JE, Lowen CA. Connecting youth with health services: Systematic review. *Canadian Family Physician*. 2010;56(8):778-784.
7. Antaramian SP, Scott Huebner E, Hills KJ, Valois RF. A dual-factor model of mental health: Toward a more comprehensive understanding of youth functioning. *American Journal of Orthopsychiatry*. 2010;80(4):462-472.
8. Armstrong LL. A utilization-focused approach to evaluating a “youth-friendly” mental health program: The Youth Net/Réseau Ado story. *Vulnerable Children and Youth Studies*. 2009;4(4):361-369.

9. Armstrong LL, Manion IG. Suicidal ideation in young males living in rural communities: distance from school as a risk factor, youth engagement as a protective factor. *Vulnerable Children and Youth Studies*. 2006;1(1):102-113.
10. Armstrong LL, Manion IG. Meaningful youth engagement as a protective factor for youth suicidal ideation. *Journal of research on adolescence*. 2015;25(1):20-27.
11. Atun R, de Jongh TE, Secci FV, Ohiri K, Adeyi O, Car J. Integration of priority population, health and nutrition interventions into health systems: systematic review. *BMC Public Health*. 2011;11:780.
12. Baker-Ericzén MJ, Jenkins MM, Haine-Schlagel R. Therapist, parent, and youth perspectives of treatment barriers to family-focused community outpatient mental health services. *Journal of Child and Family Studies*. 2013;22(6):854-868.
13. Ballard PJ, Hoyt LT, Pachucki MC. Impacts of Adolescent and Young Adult Civic Engagement on Health and Socioeconomic Status in Adulthood. *Child Development*. 2018;23:23.
14. Ballard PJ, Syme SL. Engaging youth in communities: A framework for promoting adolescent and community health. *J Epidemiol Community Health*. 2016;70(2):202-206.
15. Becker KD, Buckingham SL, Brandt NE. Engaging youth and families in school mental health services. *Child and Adolescent Psychiatric Clinics*. 2015;24(2):385-398.
16. Ben-David S, Cole AR, Brucato G, Girgis R, Munson MR. A conceptual model of mental health service utilization among young adults at clinical high-risk for developing psychosis. *Psychiatric Rehabilitation Journal*. 2018;29:29.
17. Berger Z, Flickinger TE, Pfoh E, Martinez KA, Dy SM. Promoting engagement by patients and families to reduce adverse events in acute care settings: a systematic review. *BMJ Quality & Safety*. 2014;23(7):548-555.
18. Betancourt TS, McBain R, Newnham EA, Brennan RT. Context matters: Community characteristics and mental health among war-affected youth in Sierra Leone. *Journal of Child Psychology and Psychiatry*. 2014;55(3):217-226.
19. Blanchet-Cohen N, McMillan Z, Greenwood M. Indigenous youth engagement in Canada's health care. *Pimatisiwin: A Journal of Aboriginal and Indigenous Community Health*. 2011;9(1):87-111.
20. Boydell KM, Pong R, Volpe T, Tilleczek K, Wilson E, Lemieux S. Family perspectives on pathways to mental health care for children and youth in rural communities. *The Journal of Rural Health*. 2006;22(2):182-188.
21. Bradshaw CP, Brown JS, Hamilton SF. Bridging positive youth development and mental health services for youth with serious behavior problems. Paper presented at: Child & Youth Care Forum2008.
22. Breland-Noble AM, Bell CC, Burriss A, Poole HK, Board APAA. The significance of strategic community engagement in recruiting African American youth & families for clinical research. *Journal of child and family studies*. 2012;21(2):273-280.
23. Breland-Noble AM, Board APAA. Community and treatment engagement for depressed African American youth: The AAKOMA FLOA pilot. *Journal of Clinical Psychology in Medical Settings*. 2012;19(1):41-48.
24. Brown A, Rice SM, Rickwood DJ, Parker AG. Systematic review of barriers and facilitators to accessing and engaging with mental health care among at-risk young people. *Asia-Pacific psychiatry : Official Journal of the Pacific Rim College of Psychiatrists*. 2016;8(1):3-22.

25. Brown JR, Holloway ED, Akakpo TF, Aalsma MC. "Straight up": enhancing rapport and therapeutic alliance with previously-detained youth in the delivery of mental health services. *Community mental health journal*. 2014;50(2):193-203.
26. Bruck DK. Engaging teenagers in suicide research through youth participatory action research. *Dissertation Abstracts International: Section B: The Sciences and Engineering*. 2018;79(7-B(E)):No Pagination Specified.
27. Bundick MJ. Extracurricular activities, positive youth development, and the role of meaningfulness of engagement. *The Journal of Positive Psychology*. 2011;6(1):57-74.
28. Burns J, Collin P, Blanchard M, De-Freitas N, Lloyd S. Preventing youth disengagement and promoting engagement. 2008.
29. Cannon E, Levy M. Substance-using Hispanic youth and their families: Review of engagement and treatment strategies. *The Family Journal*. 2008;16(3):199-203.
30. Caruana E, Allott K, Farhall J, et al. Factors associated with vocational disengagement among young people entering mental health treatment. *Early intervention in psychiatry*. 2018;18:18.
31. Caruana E, Farhall J, Cotton SM, et al. Vocational engagement among young people entering mental health treatment compared with their general population peers. *Early intervention in psychiatry*. 2018;03:03.
32. Chacko A, Bedard AV, Marks D, et al. Sequenced neurocognitive and behavioral parent training for the treatment of ADHD in school-age children. *Child Neuropsychol*. 2018;24(4):427-450.
33. Coates D, Howe D. The importance and benefits of youth participation in mental health settings from the perspective of the headspace Gosford Youth Alliance in Australia. *Children and Youth Services Review*. 2014;46:294-299.
34. Conn A-M, Calais C, Szilagyi M, Baldwin C, Jee SH. Youth in out-of-home care: Relation of engagement in structured group activities with social and mental health measures. *Children and Youth Services Review*. 2014;36:201-205.
35. Connell AM, Dishion TJ, Yasui M, Kavanagh K. An adaptive approach to family intervention: linking engagement in family-centered intervention to reductions in adolescent problem behavior. *Journal of consulting and clinical psychology*. 2007;75(4):568.
36. Cooper M, Evans Y, Pybis J. Interagency collaboration in children and young people's mental health: A systematic review of outcomes, facilitating factors and inhibiting factors. *Child: Care, Health and Development*. 2016;42(3):325-342.
37. Corona R, Gonzalez T, Cohen R, Edwards C, Edmonds T. Richmond Latino needs assessment: A community-university partnership to identify health concerns and service needs for Latino youth. *Journal of Community Health*. 2009;34(3):195-201.
38. Coser LR, Tozer K, Van Borek N, et al. Finding a voice: participatory research with street-involved youth in the youth injection prevention project. *Health Promotion Practice*. 2014;15(5):732-738.
39. Crooks CV, Chiodo D, Thomas D, Hughes R. Strengths-based programming for First Nations youth in schools: Building engagement through healthy relationships and leadership skills. *International Journal of Mental Health and Addiction*. 2010;8(2):160-173.
40. Dakof GA, Tejada M, Liddle HA. Predictors of engagement in adolescent drug abuse treatment. *Journal of the American Academy of Child & Adolescent Psychiatry*. 2001;40(3):274-281.

41. Davidson J, Wiens S, Anderson K. Creating a provincial family council to engage youth and families in child & youth mental health systems. *Journal of the Canadian Academy of Child and Adolescent Psychiatry*. 2010;19(3):169.
42. Dawes NP, Larson R. How youth get engaged: Grounded-theory research on motivational development in organized youth programs. *Developmental psychology*. 2011;47(1):259.
43. Decker M, Montagu D. Reaching youth through franchise clinics: assessment of Kenyan private sector involvement in youth services. *Journal of Adolescent Health*. 2007;40(3):280-282.
44. Desrosiers L, Saint-Jean M, Breton JJ. Treatment planning: A key milestone to prevent treatment dropout in adolescents with borderline personality disorder. *Psychology & Psychotherapy: Theory, Research & Practice*. 2015;88(2):178-196.
45. Dunne T, Bishop L, Avery S, Darcy S. A review of effective youth engagement strategies for mental health and substance use interventions. *Journal of Adolescent Health*. 2017;60(5):487-512.
46. Ellis BH, Miller AB, Abdi S, Barrett C, Blood EA, Betancourt TS. Multi-tier mental health program for refugee youth. *Journal of Consulting and Clinical Psychology*. 2013;81(1):129.
47. Ellis BH, Miller AB, Baldwin H, Abdi S. New directions in refugee youth mental health services: Overcoming barriers to engagement. *Journal of Child & Adolescent Trauma*. 2011;4(1):69-85.
48. Fava N, O'Bree B, Randall R, et al. Youth peer work: building a strong and supported youth peer workforce. In: Meagher J, Stratford A, Jackson F, Jayakody E, Fong T, eds. *Peer work in Australia: A new future for mental health*. Sydney: Richmond PRA & Mind Australia; 2018:250-265.
49. French R, Reardon M, Smith P. Engaging with a mental health service: Perspectives of at-risk youth. *Child and Adolescent Social Work Journal*. 2003;20(6):529-548.
50. Gelhorn HL, Sexton CC, Classi PM. Patient preferences for treatment of major depressive disorder and the impact on health outcomes: a systematic review. *The Primary Care Companion to CNS Disorders*. 2011;13(5).
51. Gerdes AC, Kapke TL, Grace M, Castro A. Feasibility, Acceptability, and Preliminary Outcomes of a Culturally Adapted Evidence-Based Treatment for Latino Youth With ADHD. *Journal of Attention Disorders*. 2019:1087054718821729.
52. Glisson C, Hemmelgarn A, Green P, Dukes D, Atkinson S, Williams NJ. Randomized trial of the availability, responsiveness, and continuity (ARC) organizational intervention with community-based mental health programs and clinicians serving youth. *Journal of the American Academy of Child & Adolescent Psychiatry*. 2012;51(8):780-787.
53. Goodkind J, LaNoue M, Lee C, Freeland L, Freund R. Feasibility, Acceptability, and Initial Findings from a Community-Based Cultural Mental Health Intervention for American Indian Youth and Their Families. *Journal of Community Psychology*. 2012;40(4):381-405.
54. Goodkind JR, LaNoue MD, Lee C, Freeland LR, Freund R. Involving Parents in a Community-Based, Culturally-Grounded Mental Health Intervention for American Indian Youth: Parent Perspectives, Challenges, and Results. *Journal of Community Psychology*. 2012;40(4):468-478.

55. Gopalan G, Bornheimer LA, Acri MC, et al. Multiple family group service delivery model for children with disruptive behavior disorders: Impact on caregiver stress and depressive symptoms. *J Emot Behav Disord*. 2018;26(3):182-192.
56. Gopalan G, Lee SJ, Harris R, Acri MC, Munson MR. Utilization of peers in services for youth with emotional and behavioral challenges: A scoping review. *J Adolesc*. 2017;55:88-115.
57. Hagen P, Collin P, Metcalf A, Nicholas M, Rahilly K, Swainston N. Participatory Design of evidence-based online youth mental health promotion, intervention and treatment. 2012.
58. Hailemariam M, Fekadu A, Prince M, Hanlon C. Engaging and staying engaged: a phenomenological study of barriers to equitable access to mental healthcare for people with severe mental disorders in a rural African setting. *International Journal for Equity in Health*. 2017;16(1):156.
59. Harrison ME, McKay MM, Bannon WM. Inner-city child mental health service use: The real question is why youth and families do not use services. *Community mental health journal*. 2004;40(2):119-131.
60. Hawke LD, Relihan J, Miller J, et al. Engaging youth in research planning, design and execution: Practical recommendations for researchers. *Health Expectations*. 2018;21(6):944-949.
61. Head BW. Why not ask them? Mapping and promoting youth participation. *Children and Youth services review*. 2011;33(4):541-547.
62. Heffernan OS, Herzog TM, Schiralli JE, Hawke LD, Chaim G, Henderson JL. Implementation of a youth-adult partnership model in youth mental health systems research: Challenges and successes. *Health Expectations*. 2017;20(6):1183-1188.
63. Heffernan OS, Herzog TM, Schiralli JE, Hawke LD, Chaim G, Henderson JL. Implementation of a youth-adult partnership model in youth mental health systems research: Challenges and successes. *Health Expectations*. 2017;20(6):1183-1188.
64. Herman KC, Borden LA, Hsu C, et al. Enhancing family engagement in interventions for mental health problems in youth. *Residential Treatment for Children & Youth*. 2011;28(2):102-119.
65. Hickie IB, Luscombe GM, Davenport TA, Burns JM, Highet NJ. Perspectives of young people on depression: awareness, experiences, attitudes and treatment preferences. *Early intervention in psychiatry*. 2007;1(4):333-339.
66. Illback RJ, Bates T. Transforming youth mental health services and supports in Ireland. *Early intervention in psychiatry*. 2011;5:22-27.
67. Illback RJ, Bates T, Hodges C, et al. Jigsaw: engaging communities in the development and implementation of youth mental health services and supports in the Republic of Ireland. *Journal of Mental Health*. 2010;19(5):422-435.
68. Ingoldsby EM. Review of interventions to improve family engagement and retention in parent and child mental health programs. *Journal of child and family studies*. 2010;19(5):629-645.
69. Interian A, Lewis-Fernandez R, Dixon LB. Improving treatment engagement of underserved U.S. racial-ethnic groups: a review of recent interventions. *Psychiatric Services*. 2013;64(3):212-222.
70. Iwasaki Y. The role of youth engagement in positive youth development and social justice youth development for high-risk, marginalised youth. *International Journal of Adolescence and Youth*. 2016;21(3):267-278.

71. Iwasaki Y, Springett J, Dashora P, McLaughlin A-M, McHugh T-L, Team YY. Youth-guided youth engagement: Participatory Action Research (PAR) with high-risk, marginalized youth. *Child & youth services*. 2014;35(4):316-342.
72. Javier JR, Coffey DM, Palinkas LA, Kipke MD, Miranda J, Schrager SM. Promoting Enrollment in Parenting Programs Among a Filipino Population: A Randomized Trial. *Pediatrics*. 2019;24:24.
73. Jensen-Doss A, Weisz JR. Diagnostic agreement predicts treatment process and outcomes in youth mental health clinics. *Journal of Consulting and Clinical Psychology*. 2008;76(5):711.
74. Jorm AF. Australian young people's awareness of headspace, beyondblue and other mental health organizations. *Australasian Psychiatry*. 2009;17(6):472-474.
75. Kapke TL, Gerdes AC. Latino Family Participation in Youth Mental Health Services: Treatment Retention, Engagement, and Response. *Clinical Child & Family Psychology Review*. 2016;19(4):329-351.
76. Kendal SE, Milnes L, Welsby H, Pryjmachuk S, Co-Researchers G. Prioritizing young people's emotional health support needs via participatory research. *Journal of Psychiatric & Mental Health Nursing*. 2017;24(5):263-271.
77. Kim H, Munson MR, McKay MM. Engagement in mental health treatment among adolescents and young adults: A systematic review. *Child & Adolescent Social Work Journal*. 2012;29(3):241-266.
78. Kim H, Tracy EM, Biegel DE, Min MO, Munson MR. The Effects of Organizational Culture on Mental Health Service Engagement of Transition Age Youth. *Journal of Behavioral Health Services & Research*. 2015;42(4):466-485.
79. Kim RE, Becker KD, Stephan SH, et al. Connecting Students to Mental Health Care: Pilot Findings from an Engagement Program for School Nurses. *Advances in School Mental Health Promotion*. 2015;8(2):87-103.
80. Knapp P, Chait A, Pappadopulos E, Crystal S, Jensen PS, Group TMS. Treatment of maladaptive aggression in youth: CERT guidelines I. Engagement, assessment, and management. *Pediatrics*. 2012;129(6):e1562-1576.
81. Kulbok PA, Meszaros PS, Bond DC, et al. Youths as partners in a community participatory project for substance use prevention. *Family & Community Health*. 2015;38(1):3-11.
82. Kutcher S, McLuckie A. Evergreen: Creating a child and youth mental health framework for Canada. *Psychiatric Services*. 2013;64(5):479-482.
83. Langdon SE, Golden SL, Arnold EM, et al. Lessons learned from a community-based participatory research mental health promotion program for American Indian youth. *Health promotion practice*. 2016;17(3):457-463.
84. Lenaerts E, Mathei C, Matthys F, et al. Continuing care for patients with alcohol use disorders: a systematic review. *Drug & Alcohol Dependence*. 2014;135:9-21.
85. Li H, Seidman L. Engaging Asian American youth and their families in quality mental health services. *Asian Journal of Psychiatry*. 2010;3(4):169-172.
86. Lindquist-Grantz R, Abraczinskas M. Using Youth Participatory Action Research as a Health Intervention in Community Settings. *Health Promotion Practice*. 2018:1524839918818831.
87. Lindsey MA, Chambers K, Pohle C, Beall P, Lucksted A. Understanding the behavioral determinants of mental health service use by urban, under-resourced Black youth:

- Adolescent and caregiver perspectives. *Journal of Child and Family Studies*. 2013;22(1):107-121.
88. MacDonald JP, Ford JD, Willox AC, Ross NA. A review of protective factors and causal mechanisms that enhance the mental health of Indigenous Circumpolar youth. *International journal of circumpolar health*. 2013;72(1):21775.
 89. Makol BA, Polo AJ. Parent-Child Endorsement Discrepancies among Youth at Chronic-Risk for Depression. *Journal of Abnormal Child Psychology*. 2018;46(5):1077-1088.
 90. Malla A, Iyer S, Shah J, et al. Canadian response to need for transformation of youth mental health services: ACCESS Open Minds (Esprits ouverts). *Early intervention in psychiatry*. 2018;16:16.
 91. Manicavasagar V, Horswood D, Burckhardt R, Lum A, Hadzi-Pavlovic D, Parker G. Feasibility and effectiveness of a web-based positive psychology program for youth mental health: randomized controlled trial. *Journal of medical Internet research*. 2014;16(6).
 92. Marr M, Horwitz SM, Gerson R, Storfer-Isser A, Havens JF. Friendly Faces: Characteristics of Children and Adolescents With Repeat Visits to a Specialized Child Psychiatric Emergency Program. *Pediatric Emergency Care*. 2018;12:12.
 93. Mayberry LS, Heflinger CA. The Role of Quality Service Systems in Involving Families in Mental Health Treatment for Children with Severe Emotional Disturbances. *Journal of Emotional & Behavioral Disorders*. 2012;20(4):260-274.
 94. McGorry PD. The specialist youth mental health model: strengthening the weakest link in the public mental health system. *Medical Journal of Australia*. 2007;187(7):S53.
 95. McKelvey RS, Baldassar LV, Sang DL, Roberts L. Vietnamese parental perceptions of child and adolescent mental illness. *Journal of the American Academy of Child & Adolescent Psychiatry*. 1999;38(10):1302-1309.
 96. McMurrin M, Huband N, Overton E. Non-completion of personality disorder treatments: a systematic review of correlates, consequences, and interventions. *Clinical Psychology Review*. 2010;30(3):277-287.
 97. Mendenhall TJ, Gagner NE, Hunt QA. A call to engage youth in health research. *Families, Systems, & Health*. 2015;33(4):410-412.
 98. Miller LM, Southam-Gerow MA, Allin RB. Who stays in treatment? Child and family predictors of youth client retention in a public mental health agency. Paper presented at: Child & youth care forum 2008.
 99. Minh A, Patel S, Bruce-Barrett C, O'Campo P. Letting youths choose for themselves: concept mapping as a participatory approach for program and service planning. *Family & Community Health*. 2015;38(1):33-43.
 100. Monson K, Thurley M. Consumer participation in a youth mental health service. *Early intervention in psychiatry*. 2011;5(4):381-388.
 101. Montague AE, Varcin KJ, Simmons MB, Parker AG. Putting technology into youth mental health practice: young people's perspectives. *SAGE Open*. 2015;5(2):2158244015581019.
 102. Moore KL. Mental Health Service Engagement Among Underserved Minority Adolescents and Young Adults: a Systematic Review. *Journal of Racial & Ethnic Health Disparities*. 2018;5(5):1063-1076.

103. Nissen LB. Community-directed engagement and positive youth development: Developing positive and progressive pathways between youth and their communities in Reclaiming Futures. *Children and Youth Services Review*. 2011;33:S23-S28.
104. Norman CD, Yip AL. eHealth promotion and social innovation with youth: using social and visual media to engage diverse communities. *Studies in health technology and informatics*. 2012;172:54-70.
105. O'Reilly A, Illback R, Peiper N, O'Keeffe L, Clayton R. Youth engagement with an emerging Irish mental health early intervention programme (Jigsaw): participant characteristics and implications for service delivery. *Journal of Mental Health*. 2015;24(5):283-288.
106. Oliveras C, Cluver L, Bernays S, Armstrong A. Nothing About Us Without RIGHTS-Meaningful Engagement of Children and Youth: From Research Prioritization to Clinical Trials, Implementation Science, and Policy. *Journal of Acquired Immune Deficiency Syndromes: JAIDS*. 2018;78 Suppl 1:S27-S31.
107. Oliveras CBA, Cluver LP, Bernays SP, Armstrong ABM. *Nothing About Us Without RIGHTS-Meaningful Engagement of Children and Youth: From Research Prioritization to Clinical Trials, Implementation Science, and Policy*. [Article]. *JAIDS Journal of Acquired Immune Deficiency Syndromes* August 15, 2018;78 Supplement 1:S27-S31.
108. Orlowski S, Lawn S, Matthews B, et al. The promise and the reality: a mental health workforce perspective on technology-enhanced youth mental health service delivery. *BMC Health Services Research*. 2016;16(1):562.
109. Ozbek A, Gencer O, Mustan AT. Which parents dropout from an evidence-based parenting programme (Triple-P) at CAMHS? Comparison of programme-completing and dropout parents. *Clinical Child Psychology & Psychiatry*. 2018:1359104518792294.
110. Pancer SM, Rose-Krasnor L, Loiselle LD. Youth conferences as a context for engagement. *New Directions for Youth Development*. 2002;2002(96):47-64.
111. Paterson BL, Panessa C. Engagement as an ethical imperative in harm reduction involving at-risk youth. *International Journal of Drug Policy*. 2008;19(1):24-32.
112. Patulny R, Muir K, Powell A, Flaxman S, Oprea I. Are we reaching them yet? Service access patterns among attendees at the headspace youth mental health initiative. *Child and Adolescent Mental Health*. 2013;18(2):95-102.
113. Pedersen ER, Tucker JS, Kovalchik SA. Facilitators and Barriers of Drop-In Center Use Among Homeless Youth. *Journal of Adolescent Health*. 2016;59(2):144-153.
114. Pillai SH, Raghavan S, Mathew M, et al. Juvenile Myoclonic Epilepsy with Frontal Executive Dysfunction is Associated with Reduced Gray Matter Volume by Voxel-based Morphometry. *Ann Indian Acad Neurol*. 2017;20(3):270-273.
115. Poon AWC, Harvey C, Fuzzard S, O'Hanlon B. Implementing a family-inclusive practice model in youth mental health services in Australia. *Early intervention in psychiatry*. 2017;20:20.
116. Price DB, Gefen E, Gopalan G, et al. Real-life effectiveness and safety of the inhalation suspension budesonide comparator vs the originator product for the treatment of patients with asthma: a historical cohort study using a US health claims database. *Pragmat Obs Res*. 2017;8:69-83.
117. Purcell R, Goldstone S, Moran J, et al. Toward a twenty-first century approach to youth mental health care: Some Australian initiatives. *International Journal of Mental Health*. 2011;40(2):72-87.

118. Ramey HL, Busseri MA, Khanna N, Hamilton YN, Ottawa YN, Rose-Krasnor L. Youth engagement and suicide risk: testing a mediated model in a Canadian community sample. *Journal of Youth & Adolescence*. 2010;39(3):243-258.
119. Ramey HL, Rose-Krasnor L. The new mentality: Youth–adult partnerships in community mental health promotion. *Children and Youth Services Review*. 2015;50:28-37.
120. Reed SJ, Miller RL, the Adolescent Medicine Trials Network for HIVAI. The Benefits of Youth Engagement in HIV-Preventive Structural Change Interventions. *Youth & Society*. 2014;46(4):529-547.
121. Reeves GM, Wehring HJ, Connors KM, et al. The Family Value of Information, Community Support, and Experience Study: Rationale, Design, and Methods of a "Family-Centered" Research Study. *Journal of Nervous & Mental Disease*. 2015;203(12):896-900.
122. Rickwood D. Entering the e-spectrum: An examination of new interventions for youth mental health. *Youth Studies Australia*. 2012;31(4):18.
123. Rickwood D, Van Dyke N, Telford N. Innovation in youth mental health services in Australia: common characteristics across the first headspace centres. *Early intervention in psychiatry*. 2015;9(1):29-37.
124. Rickwood DJ, Deane FP, Wilson CJ. When and how do young people seek professional help for mental health problems? *Medical Journal of Australia*. 2007;187(7):S35.
125. Rickwood DJ, Mazzer KR, Telford NR. Social influences on seeking help from mental health services, in-person and online, during adolescence and young adulthood. *BMC Psychiatry*. 2015;15:40.
126. Roeg D, van de Goor I, Garretsen H. Predicting initial client engagement with community mental health services by routinely measured data. *Community Mental Health Journal*. 2015;51(1):71-78.
127. Rojas LM, Bahamon M, Wagstaff R, et al. Evidence-based prevention programs targeting youth mental and behavioral health in primary care: A systematic review. *Preventive Medicine*. 2019;120:85-99.
128. Roy K, Shinde S, Sarkar BK, Malik K, Parikh R, Patel V. India's response to adolescent mental health: a policy review and stakeholder analysis. *Social Psychiatry & Psychiatric Epidemiology*. 2019;03:03.
129. Sahay TB, Rempel B, Lodge J. Equipping public health professionals for youth engagement: lessons learned from a 2-year pilot study. *Health Promotion Practice*. 2014;15(1):28-34.
130. Schley C, Ryall V, Crothers L, et al. Early intervention with difficult to engage, 'high-risk' youth: evaluating an intensive outreach approach in youth mental health. *Early intervention in psychiatry*. 2008;2(3):195-200.
131. Schley C, Yuen K, Fletcher K, Radovini A. Does engagement with an intensive outreach service predict better treatment outcomes in 'high-risk' youth? *Early intervention in psychiatry*. 2012;6(2):176-184.
132. Sebastian RA, Ramos MM, Stumbo S, McGrath J, Fairbrother G. Measuring youth health engagement: development of the youth engagement with health services survey. *Journal of Adolescent Health*. 2014;55(3):334-340.
133. Simmons MB, Batchelor S, Dimopoulos-Bick T, Howe D. The Choice Project: Peer Workers Promoting Shared Decision Making at a Youth Mental Health Service. *Psychiatr Serv*. 2017;68(8):764-770.

134. Simmons MB, Coates D, Batchelor S, Dimopoulos-Bick T, Howe D. The CHOICE pilot project: Challenges of implementing a combined peer work and shared decision-making programme in an early intervention service. *Early Interv Psychiatry*. 2018;12(5):964-971.
135. Simmons MB, Elmes A, McKenzie JE, Trevena L, Hetrick SE. Right choice, right time: Evaluation of an online decision aid for youth depression. *Health Expect*. 2017;20(4):714-723.
136. Simmons R, Ungemack J, Sussman J, et al. Bringing adolescents into substance abuse treatment through community outreach and engagement: The Hartford Youth Project. *Journal of psychoactive drugs*. 2008;40(1):41-54.
137. Smith BD, Duffee DE, Steinke CM, Huang Y, Larkin H. Outcomes in residential treatment for youth: The role of early engagement. *Children and Youth Services Review*. 2008;30(12):1425-1436.
138. Soleimanpour S, Brindis C, Geierstanger S, Kandawalla S, Kurlaender T. Incorporating youth-led community participatory research into school health center programs and policies. *Public health reports*. 2008;123(6):709-716.
139. Stein KF, Connors EH, Chambers KL, Thomas CL, Stephan SH. Youth, Caregiver, and Staff Perspectives on an Initiative to Promote Success of Emerging Adults with Emotional and Behavioral Disabilities. *Journal of Behavioral Health Services & Research*. 2016;43(4):582-596.
140. Stormshak EA, Connell AM, Véronneau MH, et al. An ecological approach to promoting early adolescent mental health and social adaptation: Family-centered intervention in public middle schools. *Child development*. 2011;82(1):209-225.
141. Suarez E, Jackson DS, Slavin LA, Michels MS, McGeehan KM. Project Kealahou: improving Hawai'i's system of care for at-risk girls and young women through gender-responsive, trauma-informed care. *Hawai'i Journal of Medicine & Public Health : A Journal of Asia Pacific Medicine & Public Health*. 2014;73(12):387-392.
142. Swanton R, Collin P, Burns J, Sorensen I. Engaging, understanding and including young people in the provision of mental health services. *International Journal of Adolescent Medicine & Health*. 2007;19(3):325-332.
143. Tetley A, Jinks M, Huband N, Howells K. A systematic review of measures of therapeutic engagement in psychosocial and psychological treatment. *Journal of Clinical Psychology*. 2011;67(9):927-941.
144. Thota AB, Sipe TA, Byard GJ, et al. Collaborative care to improve the management of depressive disorders: a community guide systematic review and meta-analysis. *American Journal of Preventive Medicine*. 2012;42(5):525-538.
145. Totura CMW, Labouliere CD, Gryglewicz K, Karver MS. The Role of Youth Trainee-Trainer Alliance and Involvement in School-Based Prevention: A Moderated-Mediation Model of Student Gatekeeper Suicide Prevention Training. *Administration & Policy in Mental Health*. 2018;20:20.
146. Utter J, Warbrick J, Scragg R, Denny S, Schaaf D. Design, development, and achievements of a youth-led nutrition and physical activity intervention in a Pacific community in New Zealand. *Journal of the American Dietetic Association*. 2010;110(11):1634-1637.
147. Van Dongen T, Sabbe B, Glazemakers I. Collaboration for children with complex needs: What adolescents, parents, and practitioners tell us. *Journal of Child Health Care*. 2019:1367493518823906.

148. Van Leeuwen JM, Boyle S, Salomonsen-Sautel S, et al. Lesbian, gay, and bisexual homeless youth: an eight-city public health perspective. *Child Welfare*. 2006;85(2).
149. Wadley G, Lederman R, Gleeson J, Alvarez-Jimenez M. Participatory design of an online therapy for youth mental health. Paper presented at: Proceedings of the 25th Australian Computer-Human Interaction Conference: Augmentation, Application, Innovation, Collaboration 2013.
150. Watsford C, Rickwood D, Vanags T. Exploring young people's expectations of a youth mental health care service. *Early intervention in psychiatry*. 2013;7(2):131-137.
151. Westerman T. Guest Editorial: Engagement of Indigenous clients in mental health services: What role do cultural differences play? *Australian e-journal for the Advancement of Mental Health*. 2004;3(3):88-93.
152. Wilhelm AK, McRee AL, Bonilla ZE, Eisenberg ME. Mental health in Somali youth in the United States: the role of protective factors in preventing depressive symptoms, suicidality, and self-injury. *Ethnicity & Health*. 2018:1-24.
153. Wright A, McGorry PD, Harris MG, Jorm AF, Pennell K. Development and evaluation of a youth mental health community awareness campaign—The Compass Strategy. *BMC public health*. 2006;6(1):215.
154. Yeh M, Lambros K, Tsai K, et al. Multistakeholder Etiological Explanation Agreement and Adolescent/Parent Treatment Engagement. *Journal of Clinical Child & Adolescent Psychology*. 2019:1-12.
155. Zeldin S. Preventing youth violence through the promotion of community engagement and membership. *Journal of Community Psychology*. 2004;32(5):623-641.
156. Zerr AA, Pina AA. Predictors of Initial Engagement in Child Anxiety Mental Health Specialty Services. *Child & Youth Care Forum*. 2014;43(2):151-164.

1.6 | CONTINUOUS IMPROVEMENT

1. Continuing professional development: An in-depth look at mental health first-aid training and how it can be used to manage the biggest cause of workplace ill health. In. Great Britain: Reed Business Information; 2012:27.
2. Continuing Education Provider Professional Development Resources Partners with The National Psychologist on New Online Courses. 2012.
3. Animal Assisted Therapy is Topic of New Online Continuing Education Course for Professional Development Resources. 2012.
4. Did that professional education about mental health promotion make any difference? Early childhood educators' reflections upon change in their knowledge and practices. *Australian Journal of Guidance and Counselling*. 2013;23(2).
5. TherapySites (Websites for Therapists) Partners with Professional Development Resources to Make Online Marketing Available to All Therapists. 2014.
6. Sustainable professional learning for early childhood educators : Lessons from an Australia-wide mental health promotion initiative. *Journal of Early Childhood Research*. 2016;14(2).

7. Acquilla S, O'Brien M, Kernohan E. 'Not too much, not too little, but just enough?': observations on continuing professional development in Public Health in the North of England. *Public Health (Nature)*. 1998;112(4):211.
8. Adrian M, Lyon AR, Nicodimos S, Pullmann MD, McCauley E. Enhanced 'train and hope' for scalable, cost-effective professional development in youth suicide prevention. *Crisis: The Journal of Crisis Intervention and Suicide Prevention*. 2018;39(4):235-246.
9. Archibald D, Liddy C, Lochnan HA, Hendry PJ, Keely EJ. Using Clinical Questions Asked by Primary Care Providers Through eConsults to Inform Continuing Professional Development. *Journal of Continuing Education in the Health Professions*. 2018;38(1):41-48.
10. Belar CD, Brown RA, Hersch LE, et al. Self-Assessment in Clinical Health Psychology: A Model for Ethical Expansion of Practice. *Prevention & Treatment*. 2003;6(1).
11. Birrane J, Swan D, Aherne D, et al. Development and evaluation of an educational intervention in youth mental health for primary care practitioners. *Irish Journal of Psychological Medicine*. 2015;32(1):137-146.
12. Brown C, Belfield C, Field S. Cost effectiveness of continuing professional development in health care: a critical review of the evidence. *Bmj*. 2002;324(7338):652-655.
13. Brunero S, Jeon Y-H, Foster K. Mental health education programmes for generalist health professionals: An integrative review. *International Journal of Mental Health Nursing*. 2012;21(5):428-444.
14. Cadman D. Continuing professional development. Self-help in mental health assessment. *Therapy Weekly*. 2006;33(16):7-9.
15. California Univ LACfMHiS. Framing New Directions for School Counselors, Psychologists, & Social Workers. A Center Report. In:2001.
16. Calman KC. Postgraduate specialist training and continuing professional development. *Medical Teacher*. 2000;22(5):448-451.
17. Campbell C, Silver I, Sherbino J, Cate OT, Holmboe ES, Collaborators IC. Competency-based continuing professional development. *Medical Teacher*. 2010;32(8):657-662.
18. Childs S, Blenkinsopp E, Hall A, Walton G. Effective e-learning for health professionals and students—barriers and their solutions. A systematic review of the literature—findings from the HeXL project. *Health Information & Libraries Journal*. 2005;22:20-32.
19. Cleary M, Freeman A, Sharrock L. The development, implementation, and evaluation of a clinical leadership program for mental health nurses. *Issues in mental health nursing*. 2005;26(8):827-842.
20. Cleary M, Horsfall J, O'Hara-Aarons M, Jackson D, Hunt GE. The views of mental health nurses on continuing professional development. *Journal of Clinical Nursing*. 2011(23-24):3561.
21. Coffey M, Hannigan B, Simpson A, et al. Evaluation of a co-delivered training package for community mental health professionals on service user- and carer-involved care planning. *Journal of Psychiatric and Mental Health Nursing*. 2017(6):358.
22. Corrao S, Arcoraci V, Arnone S, et al. Evidence-based knowledge management: An approach to effectively promote good health-care decision-making in the information era. *Internal and Emergency Medicine*. 2009;4(2):99-106.

23. Cotterill D. Continuing professional development. Risk assessment in mental health. *Therapy Weekly*. 2006;33(12):6-8.
24. Currid T, Pennington J. Continuing professional development: Therapeutic use of self. *British Journal of Wellbeing*. 2010;1(3):35-42.
25. De Vecchi N, Kenny A, Dickson-Swift V, Kidd S. Continuing professional development in mental health: Promoting dialogue and reflection through art. *Nurse Education in Practice*. 2018.
26. Deacon M. Being creative about continuing professional development. *Mental Health Nursing*. 2011;31(6):14-17.
27. Dodd A, Guerin S, Delaney S, Dodd P. Complicated grief: Knowledge, attitudes, skills and training of mental health professionals: A systematic review. *Patient Education and Counseling*. 2017;100(8):1447-1458.
28. Dunleavy K, Chevan J, Sander AP, Gasherebuka JD, Mann M. A contextual model for continuing professional development (CPD) to build capacity in low-resource countries: Rwanda. *European Journal of Physiotherapy*. 2017;19 (Supplement 1):27-28.
29. Elvira ES, Irina VD. LIFE-LONG EDUCATION AS A RESOURCE TO OVERCOME THE PSYCHOLOGICAL BARRIERS IN THE PROCESS OF PROFESSIONAL DEVELOPMENT OF THE INDIVIDUAL. *Obrazovanie i Nauka, Vol 1, Iss 1, Pp 80-92 (2015)*. 2015(1):80.
30. Evans A, Ali S, Singleton C, Nolan P, Bahrami J. The effectiveness of personal education plans in continuing professional development: an evaluation. *Medical Teacher*. 2002;24(1):79-84.
31. Gale J, MARSHALL-LUCETTE S. Community mental health nurses' perspectives of recovery-oriented practice. *Journal of psychiatric and mental health nursing*. 2012;19(4):348-353.
32. Gifford V, Niles B, Rivkin I, Koverola C, Polaha J. Continuing education training focused on the development of behavioral telehealth competencies in behavioral healthcare providers. *Rural & Remote Health*. 2012;12(4):1-15.
33. Glisson C, Hemmelgarn A, Green P, Dukes D, Atkinson S, Williams NJ. Randomized trial of the availability, responsiveness, and continuity (ARC) organizational intervention with community-based mental health programs and clinicians serving youth. *Journal of the American Academy of Child & Adolescent Psychiatry*. 2012;51(8):780-787.
34. Gould D, Drey N, Berridge E-J. Nurses' experiences of continuing professional development. *Nurse education today*. 2007;27(6):602-609.
35. Grenyer BF, Mathews R, Stokes D, Crea K. The Australian Psychology Workforce 2: A national profile of psychologists' education, training, specialist qualifications and continuous professional development. *Australian Psychologist*. 2010;45(3):168-177.
36. Gumus G, Borkowski N, Deckard GJ, Martel KJ. HEALTHCARE MANAGERS' PERCEPTIONS OF PROFESSIONAL DEVELOPMENT AND ORGANIZATIONAL SUPPORT. *Journal of Health & Human Services Administration*. 2011;34(1):42-63.
37. Happell B. Facilitating the professional development role of clinicians: evaluating the impact of the clinician-trainer program. *Nurse Education in Practice*. 2004;4(2):83-90.
38. Henderson J. Continuing professional development. The challenge of relationship boundaries in mental health. *Nursing Management - UK*. 2004;11(6):28-32.

39. Hoifodt TS, Talseth AG, Olstad R. A qualitative study of the learning processes in young physicians treating suicidal patients: from insecurity to personal pattern knowledge and self-confidence. *BMC Medical Education*. 2007;7:21.
40. Hunter E, Nicol M. Systematic review: evidence of the value of continuing professional development to enhance recruitment and retention of occupational therapists in mental health. *British Journal of Occupational Therapy*. 2002;65(5):207-215.
41. Ikenwilo D, Skåtun D. Perceived need and barriers to continuing professional development among doctors. *Health Policy*. 2014;117(2):195-202.
42. Jaana M, Majdalani M, Tamim H, Rahbany R. Perceived healthcare workforce needs in Lebanon: A step towards informed human resources planning and professional development. *Eastern Mediterranean Health Journal*. 2018;24(9):855-865.
43. Jayatilleke N, Mackie A. Reflection as part of continuous professional development for public health professionals: a literature review. *Journal of Public Health*. 2013;35(2):308-312.
44. Jindal-Snape D, Hannah E, Smith E, Barrow W, Kerr C. An innovative practitioner research model of continuing professional development. A case study of an educational psychologists' professional development programme in Scotland. *School Psychology International*. 2009;30(3):219-236.
45. Johnson ME, Brems C, Warner TD, Roberts LW. The need for continuing education in ethics as reported by rural and urban mental health care providers. *Professional Psychology: Research and Practice*. 2006;37(2):183-189.
46. Kazantzis N, Calvert SJ, Orlinsky DE, Rooke S, Ronan K, Merrick P. Professional development perceptions and activities of psychiatrists and mental health nurses in New Zealand. *The New Zealand Medical Journal*. 2010;123(1317):24-34.
47. Keane S, Lincoln M, Smith T. Retention of allied health professionals in rural New South Wales: a thematic analysis of focus group discussions. *BMC health services research*. 2012;12(1):175.
48. Kühne-Eversmann L, Fischer MR. Improving knowledge and changing behavior towards guideline based decisions in diabetes care: a controlled intervention study of a team-based learning approach for continuous professional development of physicians. *BMC Research Notes*. 2013;6(1):1-7.
49. Lauer PA, Christopher DE, Firpo-Triplett R, Buchting F. The impact of short-term professional development on participant outcomes: A review of the literature. *Professional development in education*. 2014;40(2):207-227.
50. Légaré F, Borduas F, Freitas A, et al. Development of a simple 12-item theory-based instrument to assess the impact of continuing professional development on clinical behavioral intentions. *PLoS One*. 2014;9(3):e91013.
51. Machin T. Establishing professional role congruity within the discipline of mental health nursing. In: Northumbria University; 2017.
52. Martin J. The Duality of Continuing Professional Development in Mental Health Social Work: Voluntary and Involuntary Status. In. Australia: Taylor & Francis; 2014:227.
53. McGill M. Does my practice have evidence to back it up? Using evidence to strengthen daily practice. *Pediatric Diabetes*. 2014;19(9):9.
54. Miller G, Happell B. Recognizing the talent within: preparing clinicians for a role in professional development. *Journal of Continuing Education in Nursing*. 2002;33(4):168-191.

55. Moran AM, Coyle J, Pope R, Boxall D, Nancarrow SA, Young J. Supervision, support and mentoring interventions for health practitioners in rural and remote contexts: an integrative review and thematic synthesis of the literature to identify mechanisms for successful outcomes. *Human resources for health*. 2014;12(1):10.
56. Nash M. Continuing professional development: Physical health assessment in people with mental health problems. *British Journal of Wellbeing*. 2010;1(2):37-43.
57. Newby D. What direction for Continuing Professional Development? An attitude survey in a teaching mental health trust. In. Great Britain: ROYAL COLLEGE OF PSYCHIATRISTS; 1999:490.
58. Novins DK, Green AE, Legha RK, Aarons GA. Dissemination and implementation of evidence-based practices for child and adolescent mental health: a systematic review. *Journal of the American Academy of Child & Adolescent Psychiatry*. 2013;52(10):1009-1025.e1018.
59. O'Hara CB. Continuing Professional Development: recognising anorexia nervosa. *British Journal of Wellbeing*. 2010;1(9):37-43.
60. Parkinson S, Lowe C, Keys K. Professional development enhances the occupational therapy work environment. *British Journal of Occupational Therapy*. 2010;73(10):470-476.
61. Phillips BL. *Continuing professional development program on second-generation antipsychotics for psychiatric-mental health staff nurses*, University of Southern Mississippi; 2012.
62. Robards F, Jarrett C, Bennett D. Resources to support psychosocial assessments with young people. *Journal of Adolescent Health*. 2011;1):S97.
63. Ross K, Barr J, Stevens J. Mandatory continuing professional development requirements: what does this mean for Australian nurses. *BMC nursing*. 2013;12(1):9.
64. Ruddick F. Person-centred mental health care: myth or reality? (Cover story). *Mental Health Practice*. 2010;13(9):24-28.
65. Sabey A, Bray I, Gray S. Building capacity to use and undertake applied health research: establishing a training programme for the health workforce in the West of England. *Public Health*. 2019.
66. Sander A, Urimubenshi G, Chevan J, Mann M, Dunleavy K. Promoting clinical reasoning using the international classification of function, disability and health (ICF) framework for continuing education development in Rwanda. *Physiotherapy (United Kingdom)*. 2015;1):eS1559-eS1560.
67. Sanders MR, Murphy-Brennan M, McAuliffe C. The development, evaluation and dissemination of a training programme for general practitioners in evidence-based parent consultation skills. *International Journal of Mental Health Promotion*. 2003;5(4):13-20.
68. Sargeant J, Bruce D, Campbell CM. Practicing Physicians' Needs for Assessment and Feedback as Part of Professional Development. *Journal of Continuing Education in the Health Professions*. 2013;33:S54-S62.
69. Scott D, Shankar R. Mental health and CPD: could videoconferencing be a way forward? *Progress in Neurology & Psychiatry*. 2015;19(5):25-26.
70. Sharpe LJ, Cochrane D, Kennon B, et al. Making connections: Supporting healthcare professionals to successfully engage with young people within children's and adolescent's diabetes services in Scotland. *Diabetic Medicine*. 2015;1):141-142.

71. Shepherd J, Pickett K, Dewhirst S, et al. Training teachers for the public health workforce: systematic mapping and synthesis of effectiveness and processes. *lancet*. 2013.
72. Silver I, Campbell C, Marlow B, Sargeant J. Self-assessment and continuing professional development: The Canadian perspective. *Journal of Continuing Education in the Health Professions*. 2008;28(1):25-31.
73. Smith NL, Bahr MW. Increasing Cultural Competence through Needs Assessment and Professional Development. *Professional Development in Education*. 2014;40(1):164-181.
74. Sockalingam S, Tehrani H, Lin E, Lieff S, Harris I, Soklaridis S. Integrating Quality Improvement and Continuing Professional Development: A Model From the Mental Health Care System. In. United States: Lippincott Williams and Wilkins; 2016:540.
75. Tremblay M-C, Richard L, Brousselle A, Chiochio F, Beaudet N. Collaborative Learning Processes in the Context of a Public Health Professional Development Program: A Case Study. *Studies in Continuing Education*. 2017;39(1):87-106.
76. Trowell J, Davids Z, Miles G, Shmueli A, Paton A. Developing healthy mental health professionals: what can we learn from trainees? *Infant Observation*. 2008;11(3):333-343.
77. Wasserman SI, Kimball HR, Duffy FD. Recertification in internal medicine: A program of continuous professional development. *Annals of Internal Medicine*. 2000;133(3):202-208.
78. Webster-Wright A. Reframing professional development through understanding authentic professional learning. *Review of educational research*. 2009;79(2):702-739.
79. Wheeler A, Fowler J, Hattingh L. Using an intervention mapping framework to develop an online mental health continuing education program for pharmacy staff. *Journal of Continuing Education in the Health Professions*. 2013;33(4):258-266.
80. Wright AJ, Emmert-Aronson B. School Counselor Development Program (SCDP) for the Treatment of Adolescent Depression and Suicidality: A Pilot Study. *Journal of School Counseling*. 2008;6(23).
81. Young T, Rohwer A, Volmink J, Clarke M. What are the effects of teaching evidence-based health care (EBHC)? Overview of systematic reviews. *PloS one*. 2014;9(1):e86706.
82. Zakaria H. Leadership skills and personal professional development course: An initiative of Malaysian Psychiatric Association for early career psychiatrists in Malaysia. *Asia-Pacific Psychiatry*. 2012;1):72-73.